用心制造 · 匠心之作

Made with Care, Crafted with Ingenuity

顺滑静音 Smooth and silent

稳重耐磨 Wear-resistant

优质材料 High-quality materials

简易安装 Easy installation

助 旺 脚 轮

ZHUWANG CASTERS

中山国琼塑料五金制品有限公司

Zhongshan Guoqiong Plastic & Hardware Products Co., Ltd.

VIP-LINE +86 13326996520

中山市小榄镇九洲基万兴路2号

CASTERS CATALOG

Product Introduction

脚 轮 产 品 画 册

可 定 制 专 属 脚 轮



中山国琼塑料五金制品有限公司

Zhongshan Guoqiong Plastic & Hardware Products Co., Ltd.

INTRODUCTION

一家可OEM的脚轮加工厂

企业简介

中山国琼塑料五金制品有限公司坐落于广东中山小榄五金产业集群地，是一家集研发、生产、加工、销售于一体的专业脚轮制造企业。

公司深耕塑料、五金制品领域，核心专注各类脚轮产品，涵盖各行业领域的脚轮，可提供标准现货与定制化生产服务。产品广泛适配办公家具、仓储设备、医疗器械、商超货架、手推车、无人设备等众多场景。

Located in Xiaolan, Zhongshan, a major hardware manufacturing hub in Guangdong Province, Zhongshan Guoqiong Plastic & Hardware Products Co., Ltd. is a professional manufacturer integrating R&D, production and sales of casters.We specialize in a full range of casters including furniture casters, swivel casters, brake casters, light-duty and medium-duty industrial casters. Both standard off-the-shelf items and customized solutions are available. Our products are widely applied in office furniture, storage equipment, medical devices, supermarket shelves, trolleys and other fields.






10+
经营历程
Company Background

30+
生产员工
Production Personnel

5000+
每日产量
Daily Output

可 定 制 专 属 脚 轮
Custom casers available with your drawings



顺滑静音
Smooth and silent

稳重耐磨
Wear-resistant

优质材料
High-quality materials

简易安装
Easy installation


静音防震 | 匠心工艺 | 防滑护漆 | 防锈防腐
Silent Shock Resistance | Fine Craftsmanship | Anti-slip Floor Protection | Rust & Corrosion Resistance

CONTENTS
目录

01 公司简介
Company Profile

02 产品参数
Product Parameters

- 轻型双轮系列
  Light Duty Twin Wheel Series
- 轻型轮系列
  Light Duty Wheel Series
- 中型轮系列
  Medium Duty Caster Series
- 中重型系列
  Medium Heavy Duty Series
- 重型轮系列
  Heavy Duty Caster Series
- 超重型系列
  Extra Heavy Duty Caster Series
- 医疗轮系列
  Medical Caster Series
- 家具轮系列
  Furniture Caster Series



LIGHT-DUTY
MESH SERIES
轻型通花系列



孔顶活动
Top Plate Swivel Caster



平板活动
Swivel Top Plate



平板边刹
Flat Plate Brake



插杆通花活动
Swivel Caster with Expanding Split Stem



螺旋杆活动
Swivel Caster with Threaded Stem

以下产品配置可选，产品代码基于平底活动的编号，增加后缀码或者将平底活动的代码改为其他相应的代码。
Code Number change base on swivel caster with plate model,by adding suffix code or change substitute code"s"



丝杆 Thread Stem | 孔顶 Bolt Stem | 圆插 Grip Ring Stem | 方插 Square Stem | 圆膨胀套 Round Expanding | 方膨胀套 Square Expanding

APPLICABLE INDUSTRY
应用行业

- 酒店用品、推车、餐厨推车
- 电子、电器设备、医疗设备
- 杂志架、商店陈列展示货架
- 玩具、体育健身器材
- 家具、家电、家居移动设备

- Hotel supplies,trolleys,kitchen trolleys
- Electronics,electrical equipment, medical equipment
- Magazine racks, store dicplay shelves
- Toys,sports and fitness equipment
- Furniture, home appliances, home mobile devices

助 旺 脚 轮
ZHUWANG CASTERS

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	底板尺寸 Plate Size (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	1"平板活动	Z01-01-25PP-01	PP	20	24	50	61*36	48*23	6.2	25	500*350*220	1000
	1.25"平板活动	Z01-01-32PP-01	PP	25	24	50	64*36	48*23	6.2	25	500*350*220	800
	1.5"平板活动	Z01-01-38PP-01	PP	38	24	50	64*36	48*23	6.2	27	500*350*220	500
	2"平板活动	Z01-01-50PP-01	PP	49	24	64	66*39	53*23	6.2	40	500*350*220	200
	2.5"平板活动	Z01-01-63PP-01	PP	63	28	81	99*52	81*25	8.0	70	500*350*220	150
	3"平板活动	Z01-01-75PP-01	PP	75	31	94	104*59	84*36	8.2	90	500*350*220	100

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	底板尺寸 Plate Size (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	1"平板边刹	Z01-01C-25PP-01	PP	20	24	50	61*36	48*23	6.2	25	500*350*220	800
	1.25"平板边刹	Z01-01C-32PP-01	PP	25	24	50	64*36	48*23	6.2	25	500*350*220	600
	1.5"平板边刹	Z01-01C-38PP-01	PP	38	24	50	64*36	48*23	6.2	27	500*350*220	300
	2"平板边刹	Z01-01C-50PP-01	PP	49	24	64	66*39	53*23	6.2	40	500*350*220	150
	2.5"平板边刹	Z01-01C-63PP-01	PP	63	28	81	99*52	81*25	8.0	70	500*350*220	100
	3"平板边刹	Z01-01C-75PP-01	PP	75	31	94	104*59	84*36	8.2	90	500*350*220	60

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	底板尺寸 Plate Size (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	1"平板固定	Z01-04-25PP-01	PP	20	24	50	61*36	48*23	6.2	25	500*350*220	1000
	1.25"平板固定	Z01-04-32PP-01	PP	25	24	50	64*36	48*23	6.2	25	500*350*220	800
	1.5"平板固定	Z01-04-38PP-01	PP	38	24	50	64*36	48*23	6.2	27	500*350*220	500
	2"平板固定	Z01-04-50PP-01	PP	49	24	64	66*39	53*23	6.2	40	500*350*220	200
	2.5"平板固定	Z01-04-63PP-01	PP	63	28	81	99*52	81*25	8.0	70	500*350*220	150
	3"平板固定	Z01-04-75PP-01	PP	75	31	94	104*59	84*36	8.2	90	500*350*220	100

LIGHT-DUTY
MESH SERIES
轻型通花系列

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	螺杆尺寸 Threaded Stem (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	1"丝杆活动	Z01-02-25PP-01	PP	20	24	50	M12*25	48*23	6.2	25	500*350*220	1000
	1.25"丝杆活动	Z01-02-32PP-01	PP	25	24	50	M12*25	48*23	6.2	25	500*350*220	800
	1.5"丝杆活动	Z01-02-38PP-01	PP	38	24	50	M12*25	48*23	6.2	27	500*350*220	500
	2"丝杆活动	Z01-02-50PP-01	PP	49	24	64	M12*25	53*23	6.2	40	500*350*220	200
	2.5"丝杆活动	Z01-02-63PP-01	PP	63	28	81	M12*25	81*25	8.0	70	500*350*220	150
	3"丝杆活动	Z01-02-75PP-01	PP	75	31	94	M12*25	84*36	8.2	90	500*350*220	100

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	螺杆尺寸 Threaded Stem (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	1"丝杆边刹	Z01-02C-25PP-01	PP	20	24	50	M12*25	48*23	6.2	25	500*350*220	800
	1.25"丝杆边刹	Z01-02C-32PP-01	PP	25	24	50	M12*25	48*23	6.2	25	500*350*220	600
	1.5"丝杆边刹	Z01-02C-38PP-01	PP	38	24	50	M12*25	48*23	6.2	27	500*350*220	300
	2"丝杆边刹	Z01-02C-50PP-01	PP	49	24	64	M12*25	53*23	6.2	40	500*350*220	150
	2.5"丝杆边刹	Z01-02C-63PP-01	PP	63	28	81	M12*25	81*25	8.0	70	500*350*220	100
	3"丝杆边刹	Z01-02C-75PP-01	PP	75	31	94	M12*25	84*36	8.2	90	500*350*220	60

Be option
以下可配

以下产品配置可选，产品代码基于平底活动的编号，增加后缀码或者将平底活动的代码改为其他相应的代码。
Code Number change base on swivel caster with plate model,by adding suffix code or change substitute code"s"



丝杆
Thread Stem
—
code #T
"S"_→"T"
以活动脚轮为基础
将代码S改为T



孔顶
Bolt Stem
—
code #H
"S"_→"H"
以活动脚轮为基础
将代码S改为H



圆插
Grip Ring Stem
—
code #G
"S"_→"G"
以活动脚轮为基础
将代码S改为G



方插
Square Stem
—
code #F
"S"_→"F"
以活动脚轮为基础
将代码S改为F



圆膨胀套
Round Expanding
—
code #E
"S"_→"E"
以活动脚轮为基础
将代码S改为E



方膨胀套
Square Expanding
—
code #A
"S"_→"A"
以活动脚轮为基础
将代码S改为A

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	螺杆尺寸 Threaded Stem (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	1"插杆活动	Z01-03-25PP-01	PP	20	24	50	M12*25	48*23	6.2	25	500*350*220	1000
	1.25"插杆活动	Z01-03-32PP-01	PP	25	24	50	M12*25	48*23	6.2	25	500*350*220	800
	1.5"插杆活动	Z01-03-38PP-01	PP	38	24	50	M12*25	48*23	6.2	27	500*350*220	500
	2"插杆活动	Z01-03-50PP-01	PP	49	24	64	M12*25	53*23	6.2	40	500*350*220	200
	2.5"插杆活动	Z01-03-63PP-01	PP	63	28	81	M12*25	81*25	8.0	70	500*350*220	150
	3"插杆活动	Z01-03-75PP-01	PP	75	31	94	M12*25	84*36	8.2	90	500*350*220	100

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	螺杆尺寸 Threaded Stem (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	1"插杆边刹	Z01-03C-25PP-01	PP	20	24	50	M12*25	48*23	6.2	25	500*350*220	800
	1.25"插杆边刹	Z01-03C-32PP-01	PP	25	24	50	M12*25	48*23	6.2	25	500*350*220	600
	1.5"插杆边刹	Z01-03C-38PP-01	PP	38	24	50	M12*25	48*23	6.2	27	500*350*220	300
	2"插杆边刹	Z01-03C-50PP-01	PP	49	24	64	M12*25	53*23	6.2	40	500*350*220	150
	2.5"插杆边刹	Z01-03C-63PP-01	PP	63	28	81	M12*25	81*25	8.0	70	500*350*220	100
	3"插杆边刹	Z01-03C-75PP-01	PP	75	31	94	M12*25	84*36	8.2	90	500*350*220	60



LIGHT-DUTY
PP SERIES
轻型PP系列



平板刹车
Flat Plate Brake



平板活动
Swivel Top Plate



平板固定
Top Plate Rigid



螺杆刹车
Threaded Stem with Brake



螺杆活动
Swivel Caster with Threaded Stem

以下产品配置可选，产品代码基于平底活动的编号，增加后缀码或者将平底活动的代码改为其他相应的代码。
Code Number change base on swivel caster with plate model,by adding suffix code or change substitute code"s".



丝杆 Thread Stem　孔顶 Bolt Stem　圆插 Grip Ring Stem　方插 Square Stem　圆膨胀套 Round Expanding　方膨胀套 Square Expanding

APPLICABLE INDUSTRY
应用行业

- 酒店用品、推车、餐厨推车
- 电子、电器设备、医疗设备
- 家具、家电、家居移动设备

- Hotel supplies,trolleys,kitchen trolleys
- Electronics,electrical equipment, medical equipment
- Furniture, home appliances, home mobile devices

助 旺 脚 轮
ZHUWANG CASTERS

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	底板尺寸 Plate Size (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	1.5"平板刹车	Z01-01D-40PP-02	PP	40	17	53	46*25	36*15	5.2	25	500*350*220	500
	2"平板刹车	Z01-01D-50PP-02	PP	50	21	67	58.5*47.5	46*35	6.2	35	500*350*220	200
	2.5"平板刹车	Z01-01D-63PP-02	PP	63	25	82	70*46	54.5*27	8.2	50	500*350*220	150
	3"平板刹车	Z01-01D-75PP-02	PP	75	26	93	70*46	54.5*27	8.2	65	500*350*220	100

产品图片 Photo	产品名称 Product Name	产品型号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	底板尺寸 Plate Size (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	1.5"平板固定	Z01-04-40PP-02	PP	40	17	53	46*25	36*15	5.2	25	500*350*220	500
	2"平板固定	Z01-04-50PP-02	PP	50	21	67	58.5*47.5	46*35	6.2	35	500*350*220	200
	2.5"平板固定	Z01-04-63PP-02	PP	63	25	82	70*46	54.5*27	8.2	50	500*350*220	150
	3"平板固定	Z01-04-75PP-02	PP	75	26	93	70*46	54.5*27	8.2	65	500*350*220	100

产品图片 Photo	产品名称 Product Name	产品型号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	螺杆尺寸 Threaded Stem (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	1.5"螺杆刹车	Z01-02D-40PP-02	PP	40	17	53	M12*25	/	/	25	500*350*220	500
	2"螺杆刹车	Z01-02D-50PP-02	PP	50	21	67	M12*25	/	/	35	500*350*220	200
	2.5"螺杆刹车	Z01-02D-63PP-02	PP	63	25	82	M12*25	/	/	50	500*350*220	150
	3"螺杆刹车	Z01-02D-75PP-02	PP	75	26	93	M12*25	/	/	65	500*350*220	100

产品图片 Photo	产品名称 Product Name	产品型号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	螺杆尺寸 Threaded Stem (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	1.5"螺杆活动	Z01-02-40PP-02	PP	40	17	53	M12*25	/	/	25	500*350*220	500
	2"螺杆活动	Z01-02-50PP-02	PP	50	21	67	M12*25	/	/	35	500*350*220	200
	2.5"螺杆活动	Z01-02-63PP-02	PP	63	25	82	M12*25	/	/	50	500*350*220	150
	3"螺杆活动	Z01-02-75PP-02	PP	75	26	93	M12*25	/	/	65	500*350*220	100

LIGHT-DUTY
TPR SERIES
轻型TPR系列



平板刹车
Flat Plate Brake



平板活动
Swivel Top Plate



平板固定
Top Plate Rigid



螺杆刹车
Threaded Stem with Brake



螺杆活动
Swivel Caster with Threaded Stem

以下产品配置可选，产品代码基于平底活动的编号，增加后缀码或者将平底活动的代码改为其他相应的代码。
Code Number change base on swivel caster with plate model,by adding suffix code or change substitute code"s"



丝杆 Thread Stem　孔顶 Bolt Stem　圆插 Grip Ring Stem　方插 Square Stem　圆膨胀套 Round Expanding　方膨胀套 Square Expanding

APPLICABLE INDUSTRY
应用行业

- 酒店用品、推车、餐厨推车
- 电子、电器设备、医疗设备
- 家具、家电、家居移动设备

- Hotel supplies,trolleys,kitchen trolleys
- Electronics,electrical equipment, medical equipment
- Furniture, home appliances, home mobile devices

助 旺 脚 轮
ZHUWANG CASTERS

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	底板尺寸 Plate Size (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	1.5"平板刹车	Z01-01D-38TPR-03	TPR	38	18	53	46*25	36*15	5.2	25	500*350*220	500
	2"平板刹车	Z01-01D-50TPR-03	TPR	50	22	67	58.5*47.5	46*35	6.2	35	500*350*220	200
	2.5"平板刹车	Z01-01D-63.5TPR-03	TPR	63.5	28	82	70*46	54.5*27	8.2	50	500*350*220	150
	3"平板刹车	Z01-01D-75TPR-03	TPR	75	28	93	70*46	54.5*27	8.2	65	500*350*220	100

产品图片 Photo	产品名称 Product Name	产品型号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	底板尺寸 Plate Size (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	1.5"平板固定	Z01-04-38TPR-03	TPR	38	18	53	46*25	36*15	5.2	25	500*350*220	500
	2"平板固定	Z01-04-50TPR-03	TPR	50	22	67	58.5*47.5	46*35	6.2	35	500*350*220	200
	2.5"平板固定	Z01-04-63.5TPR-03	TPR	63.5	28	82	70*46	54.5*27	8.2	50	500*350*220	150
	3"平板固定	Z01-04-75TPR-03	TPR	75	28	93	70*46	54.5*27	8.2	65	500*350*220	100

产品图片 Photo	产品名称 Product Name	产品型号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	螺杆尺寸 Threaded Stem (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	1.5"螺杆刹车	Z01-02D-38TPR-03	TPR	38	18	53	M12*25	/	/	25	500*350*220	500
	2"螺杆刹车	Z01-02D-50TPR-03	TPR	50	22	67	M12*25	/	/	35	500*350*220	200
	2.5"螺杆刹车	Z01-02D-63.5TPR-03	TPR	63.5	28	82	M12*25	/	/	50	500*350*220	150
	3"螺杆刹车	Z01-02D-75TPR-03	TPR	75	28	93	M12*25	/	/	65	500*350*220	100

产品图片 Photo	产品名称 Product Name	产品型号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	螺杆尺寸 Threaded Stem (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	1.5"螺杆活动	Z01-02-38TPR-03	TPR	38	18	53	M12*25	/	/	25	500*350*220	500
	2"螺杆活动	Z01-02-50TPR-03	TPR	50	22	67	M12*25	/	/	35	500*350*220	200
	2.5"螺杆活动	Z01-02-63.5TPR-03	TPR	63.5	28	82	M12*25	/	/	50	500*350*220	150
	3"螺杆活动	Z01-02-75TPR-03	TPR	75	28	93	M12*25	/	/	65	500*350*220	100

LIGHT-DUTY
TWIN WHEEL SERIES
轻型单轮系列



孔顶刹车
Bolt Hole Caster with Brake



平板活动
Swivel Top Plate



平板刹车
Top Plate Brake



插杆刹车
Grip Ring Stem with Brake



螺旋杆刹车
Threaded Stem with Brake

以下产品配置可选，产品代码基于平底活动的编号，增加后缀码或者将平底活动的代码改为其他相应的代码。
Code Number change base on swivel caster with plate model,by adding suffix code or change substitute code"s"



丝杆 Thread Stem | 孔顶 Bolt Stem | 圆插 Grip Ring Stem | 方插 Square Stem | 圆膨胀套 Round Expanding | 方膨胀套 Square Expanding

APPLICABLE INDUSTRY
应用行业

- 酒店用品、推车、餐厨推车
- 电子、电器设备、医疗设备
- 杂志架、商店陈列展示货架
- 玩具、体育健身器材
- 家具、家电、家居移动设备

- Hotel supplies,trolleys,kitchen trolleys
- Electronics,electrical equipment, medical equipment
- Magazine racks, store dicplay shelves
- Toys,sports and fitness equipment
- Furniture, home appliances, home mobile devices

助 旺 脚 轮
ZHUWANG CASTERS

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	底板尺寸 Plate Size (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	2"平底活动	Z01A-01 50PP-01	PP	50	30	74	61*61	49*49	6.3*13	30	500*350 *220	200

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	底板尺寸 Plate Size (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	2"平底刹车	Z01A-01D 50PP-01	PP	50	30	74	61*61	49*49	/	30	500*350 *220	150

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	螺杆尺寸 Threaded Stem (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	2"丝杆刹车	Z01A-02D 50PP-01	PP	50	30	74	M10*25	/	/	30	500*350 *220	150

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	螺杆尺寸 Threaded Stem (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	2"插杆刹车	Z01A-03D 50PP-01	PP	50	30	74	M11*21	/	/	30	500*350 *220	150

LIGHT-DUTY
WHEEL SERIES
轻型双轮系列



孔顶刹车
Bolt Hole Caster with Brake



平板活动
Swivel Top Plate



平板刹车
Top Plate Brake



插杆刹车
Grip Ring Stem with Brake



螺旋杆刹车
Threaded Stem with Brake

以下产品配置可选，产品代码基于平底活动的编号，增加后缀码或者将平底活动的代码改为其他相应的代码。
Code Number change base on swivel caster with plate model,by adding suffix code or change substitute code"s"



丝杆 Thread Stem | 孔顶 Bolt Stem | 圆插 Grip Ring Stem | 方插 Square Stem | 圆膨胀套 Round Expanding | 方膨胀套 Square Expanding

APPLICABLE INDUSTRY
应用行业

- 酒店用品、推车、餐厨推车
- 电子、电器设备、医疗设备
- 杂志架、商店陈列展示货架
- 玩具、体育健身器材
- 家具、家电、家居移动设备

- Hotel supplies,trolleys,kitchen trolleys
- Electronics,electrical equipment, medical equipment
- Magazine racks, store dicplay shelves
- Toys,sports and fitness equipment
- Furniture, home appliances, home mobile devices

助 旺 脚 轮
ZHUWANG CASTERS

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	底板尺寸 Plate Size (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	2"平底活动	Z01S-01-46PP-01	PP	46	25	74	61*61	49*49	6.3	100	500*350*220	100
	3"平底活动	Z01S-01-75PP-01	PP	73	25	100	63*65	27*36	9*12	100	500*350*220	50

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	底板尺寸 Plate Size (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	2"平底刹车	Z01S-01D-46PP-01	PP	46	25	74	61*61	49*49	6.3	100	500*350*220	100
	3"平底刹车	Z01S-01D-75PP-01	PP	73	25	100	63*65	27*36	9*12	100	500*350*220	50

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	螺杆尺寸 Threaded Stem (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	2"丝杆刹车	Z01S-02-46PP-01	PP	46	25	74	M10*25	/	/	100	500*350*220	100
	3"丝杆刹车	Z01S-02-75PP-01	PP	73	25	100	M12*25	/	/	100	500*350*220	50

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	螺杆尺寸 Threaded Stem (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	2"插杆刹车	Z01S-03-46PP-01	PP	46	25	74	M11*21	/	/	100	500*350*220	100
	3"插杆刹车	Z01S-03-75PP-01	PP	73	25	100	M11*21	/	/	100	500*350*220	50

LIGHT-DUTY
WHEEL SERIES
轻型双轮系列



孔顶刹车
Bolt Hole Caster with Brake



平板活动
Swivel Top Plate



平板刹车
Top Plate Brake



插杆刹车
Grip Ring Stem with Brake



螺旋杆刹车
Threaded Stem with Brake

以下产品配置可选，产品代码基于平底活动的编号，增加后缀码或者将平底活动的代码改为其他相应的代码。
Code Number change base on swivel caster with plate model,by adding suffix code or change substitute code"s"



丝杆 Thread Stem | 孔顶 Bolt Stem | 圆插 Grip Ring Stem | 方插 Square Stem | 圆膨胀套 Round Expanding | 方膨胀套 Square Expanding

APPLICABLE INDUSTRY
应用行业

- 酒店用品、推车、餐厨推车
- 电子、电器设备、医疗设备
- 杂志架、商店陈列展示货架
- 玩具、体育健身器材
- 家具、家电、家居移动设备

- Hotel supplies,trolleys,kitchen trolleys
- Electronics,electrical equipment, medical equipment
- Magazine racks, store dicplay shelves
- Toys,sports and fitness equipment
- Furniture, home appliances, home mobile devices

助旺脚轮 ZHUWANG CASTERS

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	底板尺寸 Plate Size (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	3"双轮单轴活动	Z01S-01-75TPR-02	TPR	75	25	100	63*93	45*75	9*12	150	500*350*220	50

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	底板尺寸 Plate Size (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	3"双轮单轴刹车	Z01S-01D-75TPR-02	TPR	75	25	100	65*65	45*45	9*12	150	500*350*220	50

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	螺杆尺寸 Threaded Stem (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	3"丝杆单轴刹车	Z01S-02D-75TPR-02	TPR	75	25	100	M12*25	/	/	150	500*350*220	50

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	螺杆尺寸 Threaded Stem (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	3"插杆单轴刹车	Z01S-03D-75TPR-02	TPR	75	25	100	M11*21	/	/	150	500*350*220	50

LIGHT-DUTY
TWIN WHEEL SERIES
轻型小双轮系列



孔顶刹车
Bolt Hole Caster with Brake



平板活动
Swivel Top Plate



平板刹车
Top Plate Brake



插杆刹车
Grip Ring Stem with Brake



螺旋杆刹车
Threaded Stem with Brake

以下产品配置可选，产品代码基于平底活动的编号，增加后缀码或者将平底活动的代码改为其他相应的代码。
Code Number change base on swivel caster with plate model,by adding suffix code or change substitute code"s"



丝杆 Thread Stem | 孔顶 Bolt Stem | 圆插 Grip Ring Stem | 方插 Square Stem | 圆膨胀套 Round Expanding | 方膨胀套 Square Expanding

APPLICABLE INDUSTRY
应用行业

- 酒店用品、推车、餐厨推车
- 电子、电器设备、医疗设备
- 杂志架、商店陈列展示货架
- 玩具、体育健身器材
- 家具、家电、家居移动设备

- Hotel supplies,trolleys,kitchen trolleys
- Electronics,electrical equipment, medical equipment
- Magazine racks, store dicplay shelves
- Toys,sports and fitness equipment
- Furniture, home appliances, home mobile devices

助 旺 脚 轮
ZHUWANG CASTERS

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮 径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	底板尺寸 Plate Size (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承 重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	2"小双轮平底活动	Z01S-01-50PVC-03	PVC	46	15	73	61*61	49*49	6.3	30	500*350*220	100

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮 径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	底板尺寸 Plate Size (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承 重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	2"小双轮平底刹车	Z01S-01D-50PVC-03	PVC	46	15	73	61*61	49*49	6.3	30	500*350*220	100

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮 径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	螺杆尺寸 Threaded Stem (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承 重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	2"小双轮丝杆刹车	Z01S-02-50PVC-03	PVC	46	15	73	M10*25	/	/	30	500*350*220	100

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮 径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	螺杆尺寸 Threaded Stem (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承 重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	2"小双轮插杆刹车	Z01S-03-50PVC-03	PVC	46	15	73	M11*21	/	/	30	500*350*220	100

LIGHT-DUTY
TWIN WHEEL SERIES
轻型小双轮系列



孔顶活动
Top Plate Swivel Caster



平板活动
Swivel Top Plate



平板刹车
Top Plate Brake



插杆活动
Expanding Stem Swivel Caster



螺旋杆活动
Swivel Caster with Threaded Stem

以下产品配置可选，产品代码基于平底活动的编号，增加后缀码或者将平底活动的代码改为其他相应的代码。
Code Number change base on swivel caster with plate model,by adding suffix code or change substitute code"s"



丝杆 Thread Stem | 孔顶 Bolt Stem | 圆插 Grip Ring Stem | 方插 Square Stem | 圆膨胀套 Round Expanding | 方膨胀套 Square Expanding

APPLICABLE INDUSTRY
应用行业

- 酒店用品、推车、餐厨推车
- 电子、电器设备、医疗设备
- 杂志架、商店陈列展示货架
- 玩具、体育健身器材
- 家具、家电、家居移动设备

- Hotel supplies,trolleys,kitchen trolleys
- Electronics,electrical equipment, medical equipment
- Magazine racks, store dicplay shelves
- Toys,sports and fitness equipment
- Furniture, home appliances, home mobile devices

助旺脚轮
ZHUWANG CASTERS

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	底板尺寸 Plate Size (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	2"小双轮平底活动	Z01S-01-46TPR-04	TPR	46	15	73	47*47	35*35	5.3	30	500*350*220	100

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	底板尺寸 Plate Size (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	2"双轮平底刹车	Z01S-01D-46TPR-04	TPR	46	15	73	47*47	35*35	5.3	30	500*350*220	100

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	螺杆尺寸 Threaded Stem (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	2"TPR丝杆活动	Z01S-02-46TPR-04	TPR	46	15	73	M10*25	/	/	30	500*350*220	100

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	螺杆尺寸 Threaded Stem (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	2"双轮插杆TPR活动	Z01S-03-46TPR-04	TPR	46	15	70	M11*21	/	/	30	500*350*220	100

LIGHT-DUTY
TWIN WHEEL SERIES
轻型双轮系列



孔顶刹车
Bolt Hole Caster with Brake



平板活动
Swivel Top Plate



平板刹车
Top Plate Brake



插杆刹车
Grip Ring Stem with Brake



螺旋杆刹车
Threaded Stem with Brake

以下产品配置可选，产品代码基于平底活动的编号，增加后缀码或者将平底活动的代码改为其他相应的代码。
Code Number change base on swivel caster with plate model,by adding suffix code or change substitute code"s"



丝杆 Thread Stem | 孔顶 Bolt Stem | 圆插 Grip Ring Stem | 方插 Square Stem | 圆膨胀套 Round Expanding | 方膨胀套 Square Expanding

APPLICABLE INDUSTRY
应用行业

- 酒店用品、推车、餐厨推车
- 电子、电器设备、医疗设备
- 杂志架、商店陈列展示货架
- 玩具、体育健身器材
- 家具、家电、家居移动设备

- Hotel supplies,trolleys,kitchen trolleys
- Electronics,electrical equipment, medical equipment
- Magazine racks, store dicplay shelves
- Toys,sports and fitness equipment
- Furniture, home appliances, home mobile devices

助旺脚轮
ZHUWANG CASTERS

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	底板尺寸 Plate Size (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	2"双轮单轴平底活动	Z01S-01-50TPR-05	TPR	50	17	73	61*61	49*49	6.3*13	60	500*350*220	100

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	底板尺寸 Plate Size (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	2"双轮单轴孔顶刹车	Z01S-01D-50TPR-05	TPR	50	17	70	M10	/	/	60	500*350*220	100


产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	螺杆尺寸 Threaded Stem (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	2"双轮单轴丝杆刹车	Z01S-02-50TPR-05	TPR	50	17	73	M10*25	/	/	60	500*350*220	100

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	螺杆尺寸 Threaded Stem (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	2"双轮单轴插杆刹车	Z01S-03-50TPR-05	TPR	50	17	70	M11*21	/	/	60	500*350*220	100

LIGHT-DUTY
TWIN WHEEL SIDE BRAKE SERIES
轻型双轮边刹系列



孔顶边刹
Bolt Hole Caster with Brake



平板边刹
Top Plate Brake



插杆边刹
Expanding Stem Side Brake



螺旋杆边刹
Threaded Stem Side Brake

以下产品配置可选，产品代码基于平底活动的编号，增加后缀码或者将平底活动的代码改为其他相应的代码。
Code Number change base on swivel caster with plate model,by adding suffix code or change substitute code"s"



丝杆 Thread Stem | 孔顶 Bolt Stem | 圆插 Grip Ring Stem | 方插 Square Stem | 圆膨胀套 Round Expanding | 方膨胀套 Square Expanding

APPLICABLE INDUSTRY
应用行业

- 酒店用品、推车、餐厨推车
- 电子、电器设备、医疗设备
- 杂志架、商店陈列展示货架
- 玩具、体育健身器材
- 家具、家电、家居移动设备

- Hotel supplies,trolleys,kitchen trolleys
- Electronics,electrical equipment, medical equipment
- Magazine racks, store dicplay shelves
- Toys,sports and fitness equipment
- Furniture, home appliances, home mobile devices

助旺脚轮
ZHUWANG CASTERS

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	底板尺寸 Plate Size (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	2"双轮TPR平底边刹	Z01S-01C-46TPR-04	TPR	49	18	72	61*61	49*49	6.3*13	40	500*350*220	80

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	底板尺寸 Plate Size (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	2"双轮TPR孔顶边刹	Z01S-04C-46TPR-04	TPR	49	18	70	M10	/	/	40	500*350*220	80

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	螺杆尺寸 Threaded Stem (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	2"TPR丝杆边刹	Z01S-02C-46TPR-04	TPR	49	18	73	M12*25	/	/	40	500*350*220	80

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	螺杆尺寸 Threaded Stem (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	2"插杆TPR边刹	Z01S-03C-46TPR-04	TPR	49	18	70	M11*21	/	/	40	500*350*220	80

LIGHT-DUTY
GOLDEN DIAMOND SERIES
轻型金钻系列



孔顶活动
Top Plate Swivel Caster



平板固定
Top Plate Rigid



平板刹车
Flat Plate Brake



插杆活动
Expanding Stem Swivel Caster



螺旋杆刹车
Threaded Stem with Brake

以下产品配置可选，产品代码基于平底活动的编号，增加后缀码或者将平底活动的代码改为其他相应的代码。
Code Number change base on swivel caster with plate model,by adding suffix code or change substitute code"s"



丝杆 Thread Stem | 孔顶 Bolt Stem | 圆插 Grip Ring Stem | 方插 Square Stem | 圆膨胀套 Round Expanding | 方膨胀套 Square Expanding

APPLICABLE INDUSTRY
应用行业

- 酒店用品、推车、餐厨推车
- 电子、电器设备、医疗设备
- 杂志架、商店陈列展示货架
- 玩具、体育健身器材
- 家具、家电、家居移动设备

- Hotel supplies,trolleys,kitchen trolleys
- Electronics,electrical equipment, medical equipment
- Magazine racks, store dicplay shelves
- Toys,sports and fitness equipment
- Furniture, home appliances, home mobile devices

助旺脚轮
ZHUWANG CASTERS

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	底板尺寸 Plate Size (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	1.5" 平顶固定	B02A-04-40PVC-01	PVC	40	20	61	60*43	45*30	6.2	30	550*280 *250	250
	2" 平顶固定	B02A-04-50PVC-01	PVC	50	25	72	70*50	53*35	6.2	40	550*280 *250	150

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	底板尺寸 Plate Size (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	1.5" 平板刹车	B02A-04D-40PVC-01	PVC	40	20	61	60*43	45*30	6.2	30	540*280 *235	200
	2" 平板刹车	B02A-04D-50PVC-01	PVC	50	25	72	70*50	53*35	6.2	40	540*280 *235	120

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	螺杆尺寸 Threaded Stem (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	1.5" 螺杆刹车	B02A-01-40PVC-01	PVC	40	20	61	M12*25	/	/	30	540*280 *235	200
	2" 螺杆刹车	B02A-01-50PVC-01	PVC	50	25	72	M12*25	/	/	40	540*280 *235	120

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	螺杆尺寸 Threaded Stem (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	1.5" 插杆活动	B02A-01D-40PVC-01	PVC	46	20	61	M12*25	/	/	30	540*280 *235	250
	2" 插杆活动	B02A-01D-50PVC-01	PVC	50	25	72	M12*25	/	/	40	540*280 *235	150

MEDIUM-DUTY
GREY RUBBER SERIES
灰胶系列



孔顶刹车
Bolt Hole Caster with Brake



平板活动
Swivel Top Plate



孔顶活动
Hole Top Swivel



螺杆刹车
Expanding Stem Swivel Caster



螺杆活动
Swivel Caster with Threaded Stem

以下产品配置可选，产品代码基于平底活动的编号，增加后缀码或者将平底活动的代码改为其他相应的代码。
Code Number change base on swivel caster with plate model,by adding suffix code or change substitute code"s".



丝杆 Thread Stem | 孔顶 Bolt Stem | 圆插 Grip Ring Stem | 方插 Square Stem | 圆膨胀套 Round Expanding | 方膨胀套 Square Expanding

APPLICABLE INDUSTRY
应用行业

- 酒店用品、推车、餐厨推车
- 电子、电器设备、医疗设备
- 家具、家电、家居移动设备

- Hotel supplies,trolleys,kitchen trolleys
- Electronics,electrical equipment, medical equipment
- Furniture, home appliances, home mobile devices

助旺脚轮 ZHUWANG CASTERS

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	底板尺寸 Plate Size (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	2"平板活动	Z02HJ-01-50PVC	PVC	50	17	69	50*50	35*35	6.2*11.2	90	540*280*230	200
	2.5"平板活动	Z02HJ-01-65PVC	PVC	65	21	90	65*65	46*46	6.2*11.2	100	540*280*230	150
	3"平板活动	Z02HJ-01-75PVC	PVC	75	21	100	65*65	46*46	6.2*11.2	110	540*280*230	100
	4"平板活动	Z02HJ-01-100PVC	PVC	100	27	130	76*76	55*55	6.2*11.2	125	540*280*230	50
	5"平板活动	Z02HJ-01-125PVC	PVC	125	27	155	76*76	55*55	6.2*11.2	135	545*310*280	40

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	底板尺寸 Plate Size (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	2"平板刹车	Z02HJ-01D-50PVC	PVC	50	17	69	50*50	35*35	6.2*11.2	90	540*280*260	200
	2.5"平板刹车	Z02HJ-01D-65PVC	PVC	65	21	90	65*65	46*46	6.2*11.2	100	545*310*280	150
	3"平板刹车	Z02HJ-01D-75PVC	PVC	75	21	100	65*65	46*46	6.2*11.2	110	545*310*280	100
	4"平板刹车	Z02HJ-01D-100PVC	PVC	100	27	130	76*76	55*55	6.2*11.2	125	545*310*280	50
	5"平板刹车	Z02HJ-01D-125PVC	PVC	125	27	155	76*76	55*55	6.2*11.2	135	545*310*280	40

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	螺杆尺寸 Threaded Stem (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	2"丝杆活动	Z02HJ-02-50PVC	PVC	50	17	69	M12*25	/	/	90	460*280*230	200
	2.5"丝杆活动	Z02HJ-02-65PVC	PVC	65	21	90	M12*25	/	/	100	460*280280	150
	3"丝杆活动	Z02HJ-02-75PVC	PVC	75	21	100	M12*25	/	/	110	460*280*280	100
	4"丝杆活动	Z02HJ-02-100PVC	PVC	100	27	130	M12*25	/	/	125	460*280*280	50
	5"丝杆活动	Z02HJ-02-125PVC	PVC	125	27	155	M12*25	/	/	135	460*280*280	40

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	螺杆尺寸 Threaded Stem (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	2"丝杆刹车	Z02HJ-02D-50PVC	PVC	50	17	69	M12*25	/	/	90	480*280*250	200
	2.5"丝杆刹车	Z02HJ-02D-65PVC	PVC	65	21	90	M12*25	/	/	100	480*280*250	150
	3"丝杆刹车	Z02HJ-02D-75PVC	PVC	75	21	100	M12*25	/	/	110	520*280*280	100
	4"丝杆刹车	Z02HJ-02D-100PVC	PVC	100	27	130	M12*25	/	/	125	460*280*280	50
	5"丝杆刹车	Z02HJ-02D-125PVC	PVC	125	27	155	M12*25	/	/	135	520*280*280	40

LIGHT-DUTY
SINGLE-AXLE TPR CASTER
轻型单轴TPR轮系列



平板刹车
Flat Plate Brake



平板固定
Top Plate Rigid



孔顶活动
Top Plate Swivel Caster



孔顶刹车
Top Plate Fixed Caster



平板活动
Swivel Top Plate

以下产品配置可选，产品代码基于平底活动的编号，增加后缀码或者将平底活动的代码改为其他相应的代码。
Code Number change base on swivel caster with plate model,by adding suffix code or change substitute code"s"



丝杆 Thread Stem | 孔顶 Bolt Stem | 圆插 Grip Ring Stem | 方插 Square Stem | 圆膨胀套 Round Expanding | 方膨胀套 Square Expanding

APPLICABLE INDUSTRY
应用行业

- 酒店用品、推车、餐厨推车
- 电子、电器设备、医疗设备
- 杂志架、商店陈列展示货架
- 家具、家电、家居移动设备

- Hotel supplies,trolleys,kitchen trolleys
- Electronics,electrical equipment, medical equipment
- Magazine racks, store dicplay shelves
- Furniture, home appliances, home mobile devices

助 旺 脚 轮
ZHUWANG CASTERS

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	底板尺寸 Plate Size (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	2"平板固定	Z02HJ-04-50TPR-02	TPR	50	17	69	50*50	35*35	6.3*12	50	540*280*230	200
	3"平板固定	Z02HJ-04-75TPR-02	TPR	75	21	100	65*65	46*46	6.3*13	50	540*280*230	100
	4"平板固定	Z02HJ-04-100TPR-02	TPR	100	27	130	76*76	55*55	8.5*15	50	540*280*230	50
	5"平板固定	Z02HJ-04-125TPR-02	TPR	125	27	155	76*76	55*55	8.5*15	50	545*310*280	40

产品图片 Photo	产品名称 Product Name	产品型号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	底板尺寸 Plate Size (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	2"平板活动刹车	Z02HJ-01D-50TPR-02	TPR	50	17	69	50*50	35*35	6.3*12	50	540*280*230	200
	3"平板活动刹车	Z02HJ-01D-75TPR-02	TPR	75	21	100	65*65	46*46	6.3*13	50	540*280*280	100
	4"平板活动刹车	Z02HJ-01D-100TPR-02	TPR	100	27	130	76*76	55*55	8.5*15	50	540*280*280	50
	5"平板活动刹车	Z02HJ-01D-125TPR-02	TPR	125	27	155	76*76	55*55	8.5*15	50	540*310*280	40

产品图片 Photo	产品名称 Product Name	产品型号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	螺杆尺寸 Threaded Stem (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	2"孔顶活动	Z02HJ-05-50TPR-02	TPR	50	17	69	M12*25	/	/	50	400*260*220	200
	3"孔顶活动	Z02HJ-05-75TPR-02	TPR	75	21	100	M12*25	/	/	50	460*280*280	100
	4"孔顶活动	Z02HJ-05-100TPR-02	TPR	100	27	130	M12*25	/	/	50	520*280*280	50
	5"孔顶活动	Z02HJ-05-125TPR-02	TPR	125	27	155	M12*25	/	/	50	460*280*280	40

产品图片 Photo	产品名称 Product Name	产品型号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	螺杆尺寸 Threaded Stem (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	2"孔顶刹车	Z02HJ-05D-50TPR-02	TPR	50	17	69	M12*25	/	/	50	460*280 260	200
	3"孔顶刹车	Z02HJ-05D-75TPR-02	TPR	75	21	100	M12*25	/	/	50	460*280*280	100
	4"孔顶刹车	Z02HJ-05D-100TPR-02	TPR	100	27	130	M12*25	/	/	50	460*280*280	50
	5"孔顶刹车	Z02HJ-05D-125TPR-02	TPR	125	27	155	M12*25	/	/	50	460*280*280	40

LIGHT-DUTY
SHAFTLESS TPR CASTER SERIES
轻型无轴TPR轮系列



平板刹车
Flat Plate Brake



平板固定
Top Plate Rigid



孔顶活动
Top Plate Swivel Caster



孔顶刹车
Top Plate Fixed Caster



平板活动
Swivel Top Plate

以下产品配置可选，产品代码基于平底活动的编号，增加后缀码或者将平底活动的代码改为其他相应的代码。
Code Number change base on swivel caster with plate model,by adding suffix code or change substitute code"s"



丝杆 Thread Stem　孔顶 Bolt Stem　圆插 Grip Ring Stem　方插 Square Stem　圆膨胀套 Round Expanding　方膨胀套 Square Expanding

APPLICABLE INDUSTRY
应用行业

- 酒店用品、推车、餐厨推车
- 电子、电器设备、医疗设备
- 杂志架、商店陈列展示货架
- 家具、家电、家居移动设备

- Hotel supplies,trolleys,kitchen trolleys
- Electronics,electrical equipment, medical equipment
- Magazine racks, store dicplay shelves
- Furniture, home appliances, home mobile devices

助旺脚轮 ZHUWANG CASTERS

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	底板尺寸 Plate Size (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	2"平板固定	Z02HJ-04-50TPR-01	TPR	50	17	69	50*50	35*35	6.3*12	50	540*280*230	200
	3"平板固定	Z02HJ-04-75TPR-01	TPR	75	21	100	65*65	46*46	6.3*13	50	520*280*280	100
	4"平板固定	Z02HJ-04-100TPR-01	TPR	100	27	130	76*76	55*55	8.5*15	50	520*280*280	50
	5"平板固定	Z02HJ-04-125TPR-01	TPR	125	27	155	76*76	55*55	8.5*15	50	545*310*280	40

产品图片 Photo	产品名称 Product Name	产品型号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	底板尺寸 Plate Size (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	2"平板活动刹车	Z02HJ-01D-50TPR-01	TPR	50	17	69	50*50	35*35	6.3*12	50	540*280*260	200
	3"平板活动刹车	Z02HJ-01D-75TPR-01	TPR	75	21	100	65*65	46*46	6.3*13	50	545*310*280	100
	4"平板活动刹车	Z02HJ-01D-100TPR-01	TPR	100	27	130	76*76	55*55	8.5*15	50	545*310*280	50
	5"平板活动刹车	Z02HJ-01D-125TPR-01	TPR	125	27	155	76*76	55*55	8.5*15	50	545*310*280	40

产品图片 Photo	产品名称 Product Name	产品型号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	螺杆尺寸 Threaded Stem (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	2"孔顶活动	Z02HJ-05-50TPR-01	TPR	50	17	69	M12*25	/	/	50	400*260*220	200
	3"孔顶活动	Z02HJ-05-75TPR-01	TPR	75	21	100	M12*25	/	/	50	460*280*280	100
	4"孔顶活动	Z02HJ-05-100TPR-01	TPR	100	27	130	M12*25	/	/	50	520*280*280	50
	5"孔顶活动	Z02HJ-05-125TPR-01	TPR	125	27	155	M12*25	/	/	50	460*280 280	40

产品图片 Photo	产品名称 Product Name	产品型号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	螺杆尺寸 Threaded Stem (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	2"孔顶刹车	Z02HJ-05D-50TPR-01	TPR	50	17	69	M12*25	/	/	50	460*280*260	200
	3"孔顶刹车	Z02HJ-05D-75TPR-01	TPR	75	21	100	M12*25	/	/	50	460*280*280	100
	4"孔顶刹车	Z02HJ-05D-100TPR-01	TPR	100	27	130	M12*25	/	/	50	460*280 280	50
	5"孔顶刹车	Z02HJ-05D-125TPR-01	TPR	125	27	155	M12*25	/	/	50	460*280*280	50

MEDIUM-DUTY
MESH SERIES
中型通花系列



平板活动
Swivel Top Plate



平板刹车
Top Plate Brake



平板固定
Top Plate Rigid

以下产品配置可选，产品代码基于平底活动的编号，增加后缀码或者将平底活动的代码改为其他相应的代码。
Code Number change base on swivel caster with plate model,by adding suffix code or change substitute code"s"



丝杆 Thread Stem | 孔顶 Bolt Stem | 圆插 Grip Ring Stem | 方插 Square Stem | 圆膨胀套 Round Expanding | 方膨胀套 Square Expanding

APPLICABLE INDUSTRY
应用行业

- 酒店用品、推车、餐厨推车
- 电子、电器设备、医疗设备
- 杂志架、商店陈列展示货架
- 家具、家电、家居移动设备

- Hotel supplies,trolleys,kitchen trolleys
- Electronics,electrical equipment, medical equipment
- Magazine racks, store dicplay shelves
- Furniture, home appliances, home mobile devices

助旺脚轮 ZHUWANG CASTERS

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	底板尺寸 Plate Size (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	2.5"平板刹车	Z03-01D-63PP-01	PP	60	32	90	94*63	75*45	8.5*11.8	90	540*280*235	60
	3"平板刹车	Z03-01D-75PP-01	PP	75	32	104	94*63	75*45	8.5*11.8	100	540*280*235	50
	4"平板刹车	Z03-01D-100PP-01	PP	100	32	128	94*63	75*45	8.5*11.8	110	540*320*240	50
	5"平板刹车	Z03-01D-125PP-01	PP	125	32	152	94*63	75*45	8.5*11.8	125	540*320*280	40

产品图片 Photo	产品名称 Product Name	产品型号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	底板尺寸 Plate Size (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	2.5"平板活动	Z03-01-63PP-01	PP	60	32	90	94*63	75*45	8.5*11.8	90	540*280*235	80
	3"平板活动	Z03-01-75PP-01	PP	75	32	104	94*63	75*45	8.5*11.8	100	540*280*235	70
	4"平板活动	Z03-01-100PP-01	PP	100	32	128	94*63	75*45	8.5*11.8	110	540*280*235	50
	5"平板活动	Z03-01-125PP-01	PP	125	32	152	94*63	75*45	8.5*11.8	125	560*320*240	40

产品图片 Photo	产品名称 Product Name	产品型号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	底板尺寸 Plate Size (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	2.5"平板固定	Z03-04-63PP-01	PP	60	32	90	94*63	75*45	8.5*11.8	90	540*280235	80
	3"平板固定	Z03-04-75PP-01	PP	75	32	104	94*63	75*45	8.5*11.8	100	540*280*235	70
	4"平板固定	Z03-04-100PP-01	PP	100	32	128	94*63	75*45	8.5*11.8	110	540*280*235	50
	5"平板固定	Z03-04-125PP-01	PP	125	32	152	94*63	75*45	8.5*11.8	125	560*320*240	40

LIGHT-DUTY
SINGLE AXLE RED RUBBER CASTER SERIES
轻型单轴红胶轮系列



平板刹车
Flat Plate Brake



平板活动
Swivel Top Plate



平板固定
Top Plate Rigid



孔顶刹车
Top Plate Fixed Caster



螺杆活动
Swivel Caster with Threaded Stem

APPLICABLE INDUSTRY
应用行业

- 酒店用品、推车、餐厨推车
- 电子、电器设备、医疗设备
- 杂志架、商店陈列展示货架
- 玩具、体育健身器材
- 家具、家电、家居移动设备

- Hotel supplies,trolleys,kitchen trolleys
- Electronics,electrical equipment, medical equipment
- Magazine racks, store dicplay shelves
- Toys,sports and fitness equipment
- Furniture, home appliances, home mobile devices

助 旺 脚 轮
ZHUWANG CASTERS

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	底板尺寸 Plate Size (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	2.5"平板固定	Z03A-04-63TPR-03	TPR	65	32	94	94*62	74.5*45	12*8.5	50	500*280*230	60
	3"平板固定	Z03A-04-75TPR-03	TPR	75	32	105	94*62	74.5*45	12*8.5	50	500*280*230	50
	3.5"平板固定	Z03A-04-89TPR-03	TPR	89	32	119	94*62	74.5*45	12*8.5	50	500*280*230	40
	4"平板固定	Z03A-04-100TPR-03	TPR	100	32	131	94*62	74.5*45	12*8.5	50	500*280*230	40
	5"平板固定	Z03A-04-125TPR-03	TPR	125	32	157	94*62	74.5*45	12*8.5	50	500*280*230	30

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	底板尺寸 Plate Size (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	2.5"平板活动	Z03A-01-63TPR-03	TPR	65	32	94	94*62	74.5*45	12*8.5	50	500*280*230	60
	3"平板活动	Z03A-01-75TPR-03	TPR	75	32	105	94*62	74.5*45	12*8.5	50	500*280*230	50
	3.5"平板活动	Z03A-01-89TPR-03	TPR	89	32	119	94*62	74.5*45	12*8.5	50	500*280*230	40
	4"平板活动	Z03A-01-100TPR-03	TPR	100	32	131	94*62	74.5*45	12*8.5	50	500*280*230	40
	5"平板活动	Z03A-01-125TPR-03	TPR	125	32	157	94*62	74.5*45	12*8.5	50	500*280*230	30

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	底板尺寸 Plate Size (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	2.5"平板刹车	Z03A-01D-63TPR-03	TPR	65	32	94	94*62	74.5*45	12*8.5	50	500*280*230	60
	3"平板刹车	Z03A-01D-75TPR-03	TPR	75	32	105	94*62	74.5*45	12*8.5	50	500*280*230	50
	3.5"平板刹车	Z03A-01D-89TPR-03	TPR	89	32	119	94*62	74.5*45	12*8.5	50	500*280*230	40
	4"平板刹车	Z03A-01D-100TPR-03	TPR	100	32	131	94*62	74.5*45	12*8.5	50	500*280*230	40
	5"平板刹车	Z03A-01D-125TPR-03	TPR	125	32	157	94*62	74.5*45	12*8.5	50	500*280*230	30

LIGHT-DUTY
SINGLE AXLE RED RUBBER CASTER SERIES
轻型单轴红胶轮系列

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	螺杆尺寸 Threaded Stem (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	2.5"丝杆活动	Z03A-02-63TPR-03	PP	65	32	96	12*30	/	/	50	500*280*230	60
	3"丝杆活动	Z03A-02-75TPR-03	PP	75	32	107	12*30	/	/	50	500*280*230	50
	3.5"丝杆活动	Z03A-02-89TPR-03	PP	89	32	121	12*30	/	/	50	500*280*230	40
	4"丝杆活动	Z03A-02-100TPR-03	PP	100	32	133	12*30	/	/	50	500*280*230	40
	5"丝杆活动	Z03A-02-125TPR-03	PP	125	32	159	12*30	/	/	50	500*280*230	30

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	螺杆尺寸 Threaded Stem (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	2.5"丝杆刹车	Z03A-02D-63TPR-03	PP	65	32	94	12*30	/	/	50	500*280*230	60
	3"丝杆刹车	Z03A-02D-75TPR-03	PP	75	32	105	12*30	/	/	50	500*280*230	50
	3.5"丝杆刹车	Z03A-02D-89TPR-03	PP	89	32	119	12*30	/	/	50	500*280*230	40
	4"丝杆刹车	Z03A-02D-100TPR-03	PP	100	32	131	12*30	/	/	50	500*280*230	40
	5"丝杆刹车	Z03A-02D-125TPR-03	PP	125	32	157	12*30	/	/	50	500*280*230	30

Be option
以下可配

以下产品配置可选，产品代码基于平底活动的编号，增加后缀码或者将平底活动的代码改为其他相应的代码。
Code Number change base on swivel caster with plate model,by adding suffix code or change substitute code"s"



丝杆
Thread Stem
—
code #T
"S"→"T"
以活动脚轮为基础
将代码S改为T



孔顶
Bolt Stem
—
code #H
"S"→"H"
以活动脚轮为基础
将代码S改为H



圆插
Grip Ring Stem
—
code #G
"S"→"G"
以活动脚轮为基础
将代码S改为G



方插
Square Stem
—
code #F
"S"→"F"
以活动脚轮为基础
将代码S改为F



圆膨胀套
Round Expanding
—
code #E
"S"→"E"
以活动脚轮为基础
将代码S改为E



方膨胀套
Square Expanding
—
code #A
"S"→"A"
以活动脚轮为基础
将代码S改为A



MEDIUM-DUTY
SINGLE-AXLE PU CASTER
中型单轴PU轮系列



平板刹车
Flat Plate Brake



平板活动
Swivel Top Plate



孔顶刹车
Top Plate Fixed Caster



螺旋杆刹车
Threaded Stem



螺旋杆活动
Swivel Caster with Threaded Stem

以下产品配置可选，产品代码基于平底活动的编号，增加后缀码或者将平底活动的代码改为其他相应的代码。
Code Number change base on swivel caster with plate model,by adding suffix code or change substitute code"s"



丝杆 Thread Stem | 孔顶 Bolt Stem | 圆插 Grip Ring Stem | 方插 Square Stem | 圆膨胀套 Round Expanding | 方膨胀套 Square Expanding

APPLICABLE INDUSTRY
应用行业

- 酒店用品、推车、餐厨推车
- 电子、电器设备、医疗设备
- 杂志架、商店陈列展示货架
- 家具、家电、家居移动设备

- Hotel supplies,trolleys,kitchen trolleys
- Electronics,electrical equipment, medical equipment
- Magazine racks, store dicplay shelves
- Furniture, home appliances, home mobile devices

助旺脚轮 ZHUWANG CASTERS

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	底板尺寸 Plate Size (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	2.5"平板固定	Z03A-04-63PU-02	PU	65	32	94	94*62	74.5*62	12*8.5	50	500*280*230	60
	3"平板固定	Z03A-04-89PU-02	PU	89	32	119	94*62	74.5*62	12*8.5	50	500*280*230	50
	4"平板固定	Z03A-04-100PU-02	PU	100	32	131	94*62	74.5*62	12*8.5	50	500*280*230	40
	5"平板固定	Z03A-04-125PU-02	PU	125	32	157	94*62	74.5*62	12*8.5	50	500*280*230	30

产品图片 Photo	产品名称 Product Name	产品型号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	底板尺寸 Plate Size (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	2.5"平板活动刹车	Z03A-01D-63PU-02	PU	65	32	94	94*62	74.5*45	12*8.5	50	500*280*230	60
	3"平板活动刹车	Z03A-01D-89PU-02	PU	89	32	119	94*62	74.5*45	12*8.5	50	500*280*230	50
	4"平板活动刹车	Z03A-01D-100PU-02	PU	100	32	131	94*62	74.5*45	12*8.5	50	500*280*230	40
	5"平板活动刹车	Z03A-01D-125PU-02	PU	125	32	157	94*62	74.5*45	12*8.5	50	500*280*230	30

产品图片 Photo	产品名称 Product Name	产品型号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	螺杆尺寸 Threaded Stem (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	2.5"孔顶刹车	Z03A-05-63PU-02	PU	65	32	91	M12*25	/	/	50	500*280*230	60
	3"孔顶刹车	Z03A-05-89PU-02	PU	89	32	116	M12*25	/	/	50	500*280*230	50
	4"孔顶刹车	Z03A-05-100PU-02	PU	100	32	128	M12*25	/	/	50	500*280*230	40
	5"孔顶刹车	Z03A-05-125PU-02	PU	125	32	154	M12*25	/	/	50	500*280*230	30

产品图片 Photo	产品名称 Product Name	产品型号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	螺杆尺寸 Threaded Stem (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	2.5"丝杆刹车	Z03A-05D-63PU-02	PU	65	32	96	M12*25	/	/	50	500*280*230	60
	3"丝杆刹车	Z03A-05D-89PU-02	PU	89	32	121	M12*25	/	/	50	500*280*230	50
	4"丝杆刹车	Z03A-05D-100PU-02	PU	100	32	133	M12*25	/	/	50	500*280*230	40
	5"丝杆刹车	Z03A-05D-125PU-02	PU	125	32	159	M12*25	/	/	50	500*280*230	30

MEDIUM-DUTY
SINGLE WHEEL SERIES
中型系列



孔顶刹车
Bolt Hole with Brake



平板活动
Swivel Top Plate



平板刹车
Flat Plate Brake



插杆刹车
Grip Ring Stem with Brake



螺旋杆刹车
Threaded Stem with Brake

以下产品配置可选，产品代码基于平底活动的编号，增加后缀码或者将平底活动的代码改为其他相应的代码。
Code Number change base on swivel caster with plate model,by adding suffix code or change substitute code"s"



丝杆 Thread Stem　孔顶 Bolt Stem　圆插 Grip Ring Stem　方插 Square Stem　圆膨胀套 Round Expanding　方膨胀套 Square Expanding

APPLICABLE INDUSTRY
应用行业

- 酒店用品、推车、餐厨推车
- 电子、电器设备、医疗设备
- 家具、家电、家居移动设备

- Hotel supplies,trolleys,kitchen trolleys
- Electronics,electrical equipment, medical equipment
- Furniture, home appliances, home mobile devices

助旺脚轮 ZHUWANG CASTERS

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	底板尺寸 Plate Size (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	2.5"平板刹车	Z03B-01D-63PVC-03	PVC	63	32	90	94*63	75*45	6.2	90	540*280*235	60
	3"平板刹车	Z03B-01D-75PVC-03	PVC	75	32	104	94*63	75*45	6.2	100	540*280*235	50
	4"平板刹车	Z03B-01D-100PVC-03	PVC	100	32	128	94*63	75*45	6.2	110	560*320*240	50
	5"平板刹车	Z03B-01D-125PVC-03	PVC	125	32	152	94*63	75*45	6.2	125	540*320*280	40
	6"平板刹车	Z03B-01D-150PVC-03	PVC	150	32	180	94*63	75*45	6.2	135	540*320*280	30

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	底板尺寸 Plate Size (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	2.5"平板活动	Z03B-01-63PVC-03	PVC	63	32	90	94*63	75*45	6.2	90	540*280*235	80
	3"平板活动	Z03B-01-75PVC-03	PVC	75	32	104	94*63	75*45	6.2	100	540*280*235	70
	4"平板活动	Z03B-01-100PVC-03	PVC	100	32	128	94*63	75*45	6.2	110	540*280*235	50
	5"平板活动	Z03B-01-125PVC-03	PVC	125	32	152	94*63	75*45	6.2	125	560*320*240	40
	6"平板活动	Z03B-01-150PVC-03	PVC	150	32	180	94*63	75*45	6.2	135	540*320*280	30

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	螺杆尺寸 Threaded Stem (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	2.5"丝杆刹车	Z03B-02D-63PVC-03	PVC	63	32	90	M12*25	/	/	90	540*280*235	60
	3"丝杆刹车	Z03B-02D-75PVC-03	PVC	75	32	104	M12*25	/	/	100	540*280*235	50
	4"丝杆刹车	Z03B-02D-100PVC-03	PVC	100	32	128	M12*25	/	/	110	560*320*240	50
	5"丝杆刹车	Z03B-02D-125PVC-03	PVC	125	32	152	M12*25	/	/	125	540*320*280	40
	6"丝杆刹车	Z03B-02D-150PVC-03	PVC	150	32	180	M12*25	/	/	135	540*320*280	30

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	螺杆尺寸 Threaded Stem (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	2.5"插杆刹车	Z03B-03D-63PVC-03	PVC	63	32	90	M11*25	/	/	90	540*280*235	60
	3"插杆刹车	Z03B-03D-75PVC-03	PVC	75	32	104	M11*25	/	/	100	540*280*235	50
	4"插杆刹车	Z03B-03D-100PVC-03	PVC	100	32	128	M11*25	/	/	110	560*320*240	50
	5"插杆刹车	Z03B-03D-125PVC-03	PVC	125	32	152	M11*25	/	/	125	540*320*280	40
	6"插杆刹车	Z03B-03D-150PVC-03	PVC	150	32	180	M11*25	/	/	135	540*320*280	30

MEDIUM-DUTY
INDUSTRIAL SERIES
中型工业系列



平板刹车
Flat Plate Brake



平板活动
Swivel Top Plate



平板固定
Top Plate Rigid

以下产品配置可选，产品代码基于平底活动的编号，增加后缀码或者将平底活动的代码改为其他相应的代码。
Code Number change base on swivel caster with plate model,by adding suffix code or change substitute code"s"



丝杆 Thread Stem | 孔顶 Bolt Stem | 圆插 Grip Ring Stem | 方插 Square Stem | 圆膨胀套 Round Expanding | 方膨胀套 Square Expanding

APPLICABLE INDUSTRY
应用行业

- 酒店用品、推车、餐厨推车
- 电子、电器设备、医疗设备
- 杂志架、商店陈列展示货架
- 玩具、体育健身器材
- 家具、家电、家居移动设备

- Hotel supplies,trolleys,kitchen trolleys
- Electronics,electrical equipment, medical equipment
- Magazine racks, store dicplay shelves
- Toys,sports and fitness equipment
- Furniture, home appliances, home mobile devices

助旺脚轮 ZHUWANG CASTERS

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	底板尺寸 Plate Size (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	6"平板活动	Z03B-01-150TPR-01	TPR	150	32	180	94*63	75*45	6.2	135	540*320*280	30

产品图片 Photo	产品名称 Product Name	产品型号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	底板尺寸 Plate Size (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	6"平板刹车	Z03B-01D-150TPR-01	TPR	150	32	180	94*63	75*45	6.2	135	540*320*280	30

产品图片 Photo	产品名称 Product Name	产品型号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	底板尺寸 Plate Size (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	6"平板固定	Z03B-01-150TPR-01	TPR	150	32	180	94*63	75*45	6.2	135	540*320*280	30

Base plate installation compatible with multiple sizes
底板安装可配多尺寸

底板尺寸 Plate Size (mm)	103*82	115*100	70*60	92*92
底板孔距 Hole Spacing (mm)	80*60	85*70	51*41	60*60



MEDIUM-DUTY
TPR SINGLE & DOUBLE AXLE SERIES
TPR单双轴系列



平板刹车
Flat Plate Brake



平板活动
Swivel Top Plate



平板固定
Top Plate Rigid

以下产品配置可选，产品代码基于平底活动的编号，增加后缀码或者将平底活动的代码改为其他相应的代码。
Code Number change base on swivel caster with plate model,by adding suffix code or change substitute code"s"



丝杆 Thread Stem　孔顶 Bolt Stem　圆插 Grip Ring Stem　方插 Square Stem　圆膨胀套 Round Expanding　方膨胀套 Square Expanding

APPLICABLE INDUSTRY
应用行业

- 酒店用品、推车、餐厨推车
- 电子、电器设备、医疗设备
- 家具、家电、家居移动设备

- Hotel supplies,trolleys,kitchen trolleys
- Electronics,electrical equipment, medical equipment
- Furniture, home appliances, home mobile devices

助旺脚轮
ZHUWANG CASTERS

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	底板尺寸 Plate Size (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	2.5"平板刹车	Z03B-01D-63TPR-04	TPR 超级人造胶	63	32	90	94*63	75*45	8.5*11.8	90	540*280*235	60
	3"平板刹车	Z03B-01D-75TPR-04	TPR 超级人造胶	75	32	104	94*63	75*45	8.5*11.8	100	540*280*235	50
	4"平板刹车	Z03B-01D-100TPR-04	TPR 超级人造胶	100	32	128	94*63	75*45	8.5*11.8	110	560*320*240	50
	5"平板刹车	Z03B-01D-125TPR-04	TPR 超级人造胶	125	32	152	94*63	75*45	8.5*11.8	125	540*320*280	40
	6"平板刹车	Z03B-01D-150TPR-04	TPR 超级人造胶	150	32	180	94*63	75*45	8.5*11.8	125	540*320*280	30

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	底板尺寸 Plate Size (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	2.5"平板活动	Z03B-01-63TPR-04	TPR 超级人造胶	63	32	90	94*63	75*45	8.5*11.8	90	540*280*235	80
	3"平板活动	Z03B-01-75TPR-04	TPR 超级人造胶	75	32	104	94*63	75*45	8.5*11.8	100	540*280*235	70
	4"平板活动	Z03B-01-100TPR-04	TPR 超级人造胶	100	32	128	94*63	75*45	8.5*11.8	110	540*280*235	50
	5"平板活动	Z03B-01-125TPR-04	TPR 超级人造胶	125	32	152	94*63	75*45	8.5*11.8	125	560*320*240	40
	6"平板活动	Z03B-01-150TPR-04	TPR 超级人造胶	150	32	180	94*63	75*45	8.5*11.8	125	540*320*280	30

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	底板尺寸 Plate Size (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	2.5"平板固定	Z03B-04-63TPR-04	TPR 超级人造胶	63	32	90	94*63	75*45	8.5*11.8	90	540*280*235	80
	3"平板固定	Z03B-04-75TPR-04	TPR 超级人造胶	75	32	104	94*63	75*45	8.5*11.8	100	540*280*235	70
	4"平板固定	Z03B-04-100TPR-04	TPR 超级人造胶	100	32	128	94*63	75*45	8.5*11.8	110	540*280*235	50
	5"平板固定	Z03B-04-125TPR-04	TPR 超级人造胶	125	32	152	94*63	75*45	8.5*11.8	125	560*320*240	40
	6"平板固定	Z03B-04-150TPR-04	TPR 超级人造胶	150	32	180	94*63	75*45	8.5*11.8	125	540*320*280	30



MEDIUM-DUTY
TPR ANTI-STATIC SERIES
TPR防静电系列



孔顶刹车
Bolt Hole with Brake



螺杆活动
Swivel Caster with Threaded Stem



膨胀刹车
Expansion brake

以下产品配置可选，产品代码基于平底活动的编号，增加后缀码或者将平底活动的代码改为其他相应的代码。
Code Number change base on swivel caster with plate model,by adding suffix code or change substitute code"s"



丝杆 Thread Stem | 孔顶 Bolt Stem | 圆插 Grip Ring Stem | 方插 Square Stem | 圆膨胀套 Round Expanding | 方膨胀套 Square Expanding

APPLICABLE INDUSTRY
应用行业

- 酒店用品、推车、餐厨推车
- 电子、电器设备、医疗设备
- 杂志架、商店陈列展示货架
- 玩具、体育健身器材
- 家具、家电、家居移动设备

- Hotel supplies,trolleys,kitchen trolleys
- Electronics,electrical equipment, medical equipment
- Magazine racks, store dicplay shelves
- Toys,sports and fitness equipment
- Furniture, home appliances, home mobile devices

助 旺 脚 轮
ZHUWANG CASTERS

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	底板尺寸 Plate Size (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	3"孔顶刹车	Z03B-05D-75TPR-04	TPR 防静电	75	32	104	94*63	75*45	8.5*11.8	100	540*280*235	50
	4"孔顶刹车	Z03B-05D-100TPR-04	TPR 防静电	100	32	128	94*63	75*45	8.5*11.8	110	560*320*240	50
	5"孔顶刹车	Z03B-05D-125TPR-04	TPR 防静电	125	32	152	94*63	75*45	8.5*11.8	125	540*320*280	40

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	螺杆尺寸 Threaded Stem (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	3"插杆刹车	Z03B-06D-75TPR-04	TPR 防静电	75	32	104	M12*25	75*45	8.5*11.8	100	540*280*235	50
	4"插杆刹车	Z03B-06D-100TPR-04	TPR 防静电	100	32	128	M12*25	75*45	8.5*11.8	110	560*320*240	50
	5"插杆刹车	Z03B-06D-125TPR-04	TPR 防静电	125	32	152	M12*25	75*45	8.5*11.8	125	540*320*280	40

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	螺杆尺寸 Threaded Stem (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	3"螺杆活动	Z03B-03-75TPR-04	TPR 防静电	75	32	104	M12*25	75*45	8.5*11.8	100	540*280*235	50
	4"螺杆活动	Z03B-03-100TPR-04	TPR 防静电	100	32	128	M12*25	75*45	8.5*11.8	110	560*320*240	50
	5"螺杆活动	Z03B-03-125TPR-04	TPR 防静电	125	32	152	M12*25	75*45	8.5*11.8	125	540*320*280	40



ELECTROPHORETIC
FLOWER PATTERN SERIES
电泳通花系列



平板活动
Swivel Top Plate



平板刹车
Flat Plate Brake



平板固定
Top Plate Rigid

以下产品配置可选，产品代码基于平底活动的编号，增加后缀码或者将平底活动的代码改为其他相应的代码。
Code Number change base on swivel caster with plate model,by adding suffix code or change substitute code"s"



丝杆 Thread Stem | 孔顶 Bolt Stem | 圆插 Grip Ring Stem | 方插 Square Stem | 圆膨胀套 Round Expanding | 方膨胀套 Square Expanding

APPLICABLE INDUSTRY
应用行业

- 酒店用品、推车、餐厨推车
- 电子、电器设备、医疗设备
- 杂志架、商店陈列展示货架
- 玩具、体育健身器材
- 家具、家电、家居移动设备

- Hotel supplies,trolleys,kitchen trolleys
- Electronics,electrical equipment, medical equipment
- Magazine racks, store dicplay shelves
- Toys,sports and fitness equipment
- Furniture, home appliances, home mobile devices

助旺脚轮
ZHUWANG CASTERS

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	底板尺寸 Plate Size (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	3"平板刹车	B03B-01D-75PVC-05	PVC 聚氨酯乙烯	75	32	104	94*63	75*45	8.5*11.8	100	540*280*235	50
	4"平板刹车	B03B-01D-100PVC-05	PVC 聚氨酯乙烯	100	32	128	94*63	75*45	8.5*11.8	110	560*320*240	50
	5"平板刹车	B03B-01D-125PVC-05	PVC 聚氨酯乙烯	125	32	152	94*63	75*45	8.5*11.8	125	540*320*280	40
	6"平板刹车	B03B-01D-150PVC-05	PVC 聚氨酯乙烯	150	32	180	94*63	75*45	8.5*11.8	125	540*320*280	30

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	底板尺寸 Plate Size (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	3"平板活动	B03B-01-75PVC-05	PVC 聚氨酯乙烯	75	32	104	94*63	75*45	8.5*11.8	100	540*280*235	70
	4"平板活动	B03B-01-100PVC-05	PVC 聚氨酯乙烯	100	32	128	94*63	75*45	8.5*11.8	110	540*280*235	50
	5"平板活动	B03B-01-125PVC-05	PVC 聚氨酯乙烯	125	32	152	94*63	75*45	8.5*11.8	125	560*320*240	40
	6"平板活动	B03B-01-150PVC-05	PVC 聚氨酯乙烯	150	32	180	94*63	75*45	8.5*11.8	125	540*320*280	30

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	底板尺寸 Plate Size (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	3"平板固定	B03B-04-75PVC-05	PVC 聚氨酯乙烯	75	32	104	94*63	75*45	8.5*11.8	100	540*280*235	70
	4"平板固定	B03B-04-100PVC-05	PVC 聚氨酯乙烯	100	32	128	94*63	75*45	8.5*11.8	110	540*280*235	50
	5"平板固定	B03B-04-125PVC-05	PVC 聚氨酯乙烯	125	32	152	94*63	75*45	8.5*11.8	125	560*320*240	40
	6"平板固定	B03B-04-150PVC-05	PVC 聚氨酯乙烯	150	32	180	94*63	75*45	8.5*11.8	125	540*320*280	30

MEDIUM-DUTY
ANTI-STATIC SERIES
防静电系列



螺杆刹车
Threaded Stem with Brake



孔顶活动
Top Plate Swivel Caster



插杆刹车
Grip Ring Stem with Brake

以下产品配置可选，产品代码基于平底活动的编号，增加后缀码或者将平底活动的代码改为其他相应的代码。
Code Number change base on swivel caster with plate model,by adding suffix code or change substitute code"s"



丝杆 Thread Stem | 孔顶 Bolt Stem | 圆插 Grip Ring Stem | 方插 Square Stem | 圆膨胀套 Round Expanding | 方膨胀套 Square Expanding

APPLICABLE INDUSTRY
应用行业

- 酒店用品、推车、餐厨推车
- 电子、电器设备、医疗设备
- 杂志架、商店陈列展示货架
- 玩具、体育健身器材
- 家具、家电、家居移动设备

- Hotel supplies,trolleys,kitchen trolleys
- Electronics,electrical equipment, medical equipment
- Magazine racks, store dicplay shelves
- Toys,sports and fitness equipment
- Furniture, home appliances, home mobile devices

助旺脚轮
ZHUWANG CASTERS

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	底板尺寸 Plate Size (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	3"孔顶活动	Z03B-05-75XJ-06	Rubber	75	32	104	94*63	75*45	8.5*11.8	100	540*280*235	50
	4"孔顶活动	Z03B-05-100XJ-06	Rubber	100	32	128	94*63	75*45	8.5*11.8	110	560*320*240	50
	5"孔顶活动	Z03B-05-125XJ-06	Rubber	125	32	152	94*63	75*45	8.5*11.8	125	540*320*280	40

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	螺杆尺寸 Threaded Stem (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	3"插杆刹车	Z03B-02D-75XJ-06	Rubber	75	32	104	M12*25	75*45	8.5*11.8	100	540*280*235	50
	4"插杆刹车	Z03B-02D-100XJ-06	Rubber	100	32	128	M12*25	75*45	8.5*11.8	110	560*320*240	50
	5"插杆刹车	Z03B-02D-125XJ-06	Rubber	125	32	152	M12*25	75*45	8.5*11.8	125	540*320*280	40

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	螺杆尺寸 Threaded Stem (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	3"螺杆刹车	Z03B-03-75XJ-06	Rubber	75	32	104	M12*25	75*45	8.5*11.8	100	540*280*235	50
	4"螺杆刹车	Z03B-03-100XJ-06	Rubber	100	32	128	M12*25	75*45	8.5*11.8	110	560*320*240	50
	5"螺杆刹车	Z03B-03-125XJ-06	Rubber	125	32	152	M12*25	75*45	8.5*11.8	125	540*320*280	40



MEDIUM-DUTY
HOT WHEEL SERIES
风火轮系列



平板刹车
Flat Plate Brake



平板双刹
Flat Plate Double Brake



平板活动
Swivel Top Plate

以下产品配置可选，产品代码基于平底活动的编号，增加后缀码或者将平底活动的代码改为其他相应的代码。
Code Number change base on swivel caster with plate model,by adding suffix code or change substitute code"s"



丝杆 Thread Stem | 孔顶 Bolt Stem | 圆插 Grip Ring Stem | 方插 Square Stem | 圆膨胀套 Round Expanding | 方膨胀套 Square Expanding

APPLICABLE INDUSTRY
应用行业

- 酒店用品、推车、餐厨推车
- 电子、电器设备、医疗设备
- 杂志架、商店陈列展示货架
- 玩具、体育健身器材
- 家具、家电、家居移动设备

- Hotel supplies,trolleys,kitchen trolleys
- Electronics,electrical equipment, medical equipment
- Magazine racks, store dicplay shelves
- Toys,sports and fitness equipment
- Furniture, home appliances, home mobile devices

助 旺 脚 轮
ZHUWANG CASTERS

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	底板尺寸 Plate Size (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	3"平板双刹	Z03B-01D-75FHL-07	ER	75	32	104	94*63	75*45	8.5*11.8	100	540*280*235	50
	4"平板双刹	Z03B-01D-100FHL-07	ER	100	32	128	94*63	75*45	8.5*11.8	110	560*320*240	50
	5"平板双刹	Z03B-01D-125FHL-07	ER	125	32	152	94*63	75*45	8.5*11.8	125	540*320*280	40

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	底板尺寸 Plate Size (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	3"平板刹车	Z03A-01D-75FHL-07	ER	75	32	104	94*63	75*45	8.5*11.8	100	540*280*235	50
	4"平板刹车	Z03A-01D-100FHL-07	ER	100	32	128	94*63	75*45	8.5*11.8	110	560*320*240	50
	5"插杆刹车	Z03A-01D-125FHL-07	ER	125	32	152	94*63	75*45	8.5*11.8	125	540*320*280	40

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	底板尺寸 Plate Size (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	3"平板活动	Z03B-01-75FHL-07	ER	75	32	104	94*63	75*45	8.5*11.8	100	540*280*235	70
	4"平板活动	Z03B-01-100FHL-07	ER	100	32	128	94*63	75*45	8.5*11.8	110	540*280*235	50
	5"平板活动	Z03B-01-125FHL-07	ER	125	32	152	94*63	75*45	8.5*11.8	125	560*320*240	40



MEDIUM-DUTY
HOT WHEEL SERIES
耐高温系列 (200°-300°)



螺杆活动
Swivel Caster with Threaded Stem



插杆活动
Stem Swivel



螺杆刹车
Threaded Stem with Brake



插杆刹车
Grip Ring Stem with Brake

以下产品配置可选，产品代码基于平底活动的编号，增加后缀码或者将平底活动的代码改为其他相应的代码。
Code Number change base on swivel caster with plate model,by adding suffix code or change substitute code"s"



丝杆 Thread Stem | 孔顶 Bolt Stem | 圆插 Grip Ring Stem | 方插 Square Stem | 圆膨胀套 Round Expanding | 方膨胀套 Square Expanding

APPLICABLE INDUSTRY
应用行业

- 酒店用品、推车、餐厨推车
- 电子、电器设备、医疗设备
- 杂志架、商店陈列展示货架
- 家具、家电、家居移动设备

- Hotel supplies,trolleys,kitchen trolleys
- Electronics,electrical equipment, medical equipment
- Magazine racks, store dicplay shelves
- Furniture, home appliances, home mobile devices

助旺脚轮
ZHUWANG CASTERS

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	螺杆尺寸 Threaded Stem (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	3"丝杆活动	Z03B-02-75gwPA-08	Nylon PA	75	32	104	M12*25	75*45	8.5*11.8	100	540*280*235	50
	4"丝杆活动	Z03B-02-100gwPA-08	Nylon PA	100	32	128	M12*25	75*45	8.5*11.8	110	560*320*240	50
	5"丝杆活动	Z03B-02-125gwPA-08	Nylon PA	125	32	152	M12*25	75*45	8.5*11.8	125	540*320*280	40

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	螺杆尺寸 Threaded Stem (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	3"插杆活动	Z03B-03-75gwPA-08	Nylon PA	75	32	104	M12*25	75*45	8.5*11.8	100	540*280*235	50
	4"插杆活动	Z03B-03-100gwPA-08	Nylon PA	100	32	128	M12*25	75*45	8.5*11.8	110	560*320*240	50
	5"插杆活动	Z03B-03-125gwPA-08	Nylon PA	125	32	152	M12*25	75*45	8.5*11.8	125	540*320*280	40

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	螺杆尺寸 Threaded Stem (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	3"插杆刹车	Z03B-03D-75gwPA-08	Nylon	75	32	104	M12*25	75*45	8.5*11.8	100	540*280*235	50
	4"插杆刹车	Z03B-03D-100gwPA-08	Nylon	100	32	128	M12*25	75*45	8.5*11.8	110	560*320*240	50
	5"插杆刹车	Z03B-03D-125gwPA-08	Nylon	125	32	152	M12*25	75*45	8.5*11.8	125	540*320*280	40

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	螺杆尺寸 Threaded Stem (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	3"丝杆刹车	B03B-02D-75gwPA-08	Nylon	75	32	104	M12*25	75*45	8.5*11.8	100	540*280*235	50
	4"丝杆刹车	B03B-02D-100gwPA-08	Nylon	100	32	128	M12*25	75*45	8.5*11.8	110	560*320*240	50
	5"丝杆刹车	B03B-02D-125gwPA-08	Nylon	125	32	152	M12*25	75*45	8.5*11.8	125	540*320*280	40

MEDIUM-DUTY
FIRON CORE PU SERIES
铁芯PU系列



插杆刹车
Grip Ring Stem with Brake



插杆活动
Stem Swivel



膨胀活动
Expansion activity

以下产品配置可选，产品代码基于平底活动的编号，增加后缀码或者将平底活动的代码改为其他相应的代码。
Code Number change base on swivel caster with plate model,by adding suffix code or change substitute code"s"



丝杆 Thread Stem | 孔顶 Bolt Stem | 圆插 Grip Ring Stem | 方插 Square Stem | 圆膨胀套 Round Expanding | 方膨胀套 Square Expanding

APPLICABLE INDUSTRY
应用行业

- 酒店用品、推车、餐厨推车
- 电子、电器设备、医疗设备
- 杂志架、商店陈列展示货架
- 玩具、体育健身器材
- 家具、家电、家居移动设备

- Hotel supplies,trolleys,kitchen trolleys
- Electronics,electrical equipment, medical equipment
- Magazine racks, store dicplay shelves
- Toys,sports and fitness equipment
- Furniture, home appliances, home mobile devices

助 旺 脚 轮
ZHUWANG CASTERS

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	螺杆尺寸 Threaded Stem (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	2.5"插杆刹车	Z03B-03D-63TXPU-09	PU 聚氨酯	63	32	90	M12*25	75*45	8.5*11.8	90	540*280*235	60
	3"插杆刹车	Z03B-03D-75TXPU-09	PU 聚氨酯	75	32	104	M12*25	75*45	8.5*11.8	100	540*280*235	50
	4"插杆刹车	Z03B-03D-100TXPU-09	PU 聚氨酯	100	32	128	M12*25	75*45	8.5*11.8	110	560*320*240	50
	5"插杆刹车	Z03B-03D-125TXPU-09	PU 聚氨酯	125	32	152	M12*25	75*45	8.5*11.8	125	540*320*280	40

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	螺杆尺寸 Threaded Stem (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	2.5"插杆活动	Z03B-03-63TXPU-09	PU 聚氨酯	63	32	90	M12*25	75*45	8.5*11.8	90	540*280*235	60
	3"插杆活动	Z03B-03-75TXPU-09	PU 聚氨酯	75	32	104	M12*25	75*45	8.5*11.8	100	540*280*235	50
	4"插杆活动	Z03B-03-100TXPU-09	PU 聚氨酯	100	32	128	M12*25	75*45	8.5*11.8	110	560*320*240	50
	5"插杆活动	Z03B-03-125TXPU-09	PU 聚氨酯	125	32	152	M12*25	75*45	8.5*11.8	125	540*320*280	40

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	螺杆尺寸 Threaded Stem (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	2.5"膨胀活动	Z03B-06-63TXPU-09	PU 聚氨酯	60	32	90	M12*25	75*45	8.5*11.8	90	540*280*235	60
	3"膨胀活动	Z03B-06-75TXPU-09	PU 聚氨酯	75	32	104	M12*25	75*45	8.5*11.8	100	540*280*235	50
	4"膨胀活动	Z03B-06-100TXPU-09	PU 聚氨酯	100	32	128	M12*25	75*45	8.5*11.8	110	560*320*240	50
	5"膨胀活动	Z03B-06-125TXPU-09	PU 聚氨酯	125	32	152	M12*25	75*45	8.5*11.8	125	540*320*280	40

HEAVY-DUTY
LOW CENTER GRAVITY SERIES
低重心系列



平板刹车
Flat Plate Brake



平板活动
Swivel Top Plate



平板固定
Top Plate Rigid



平板活动
Swivel Top Plate

以下产品配置可选，产品代码基于平底活动的编号，增加后缀码或者将平底活动的代码改为其他相应的代码。
Code Number change base on swivel caster with plate model,by adding suffix code or change substitute code"s"



丝杆 Thread Stem | 孔顶 Bolt Stem | 圆插 Grip Ring Stem | 方插 Square Stem | 圆膨胀套 Round Expanding | 方膨胀套 Square Expanding

APPLICABLE INDUSTRY
应用行业

- 酒店用品、推车、餐厨推车
- 电子、电器设备、医疗设备
- 杂志架、商店陈列展示货架
- 家具、家电、家居移动设备

- Hotel supplies,trolleys,kitchen trolleys
- Electronics,electrical equipment, medical equipment
- Magazine racks, store dicplay shelves
- Furniture, home appliances, home mobile devices

助 旺 脚 轮
ZHUWANG CASTERS

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	底板尺寸 Plate Size (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	1.5"平板刹车	B05A-01D-40PA	尼龙加纤	40	40	62	95*65	72*43	6.2	150	540*280*235	150
	2"平板刹车	B05A-01D-50PA	尼龙加纤	50	40	75	95*65	72*43	6.2	300	540*280*235	100
	2.5"平板刹车	B05A-01D-63PA	尼龙加纤	63	40	94	95*65	72*43	6.2	500	540*280*235	50
	3"平板刹车	B05A-01D-75PA	尼龙加纤	75	45	109	106*80	83*60	6.2	600	540*280*235	40

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	底板尺寸 Plate Size (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	1.5"平板活动	B05A-01-40PA	尼龙加纤	40	40	62	95*65	72*43	6.2	150	540*280*235	200
	2"平板活动	B05A-01-50PA	尼龙加纤	50	40	75	95*65	72*43	6.2	300	540*280*235	150
	2.5"平板活动	B05A-01-63PA	尼龙加纤	63	40	94	95*65	72*43	6.2	500	540*280*235	60
	3"平板活动	B05A-01-75PA	尼龙加纤	75	45	109	106*80	83*60	6.2	600	540*280*235	50

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	底板尺寸 Plate Size (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	1.5"平板活动	B05A-04-40PA	尼龙加纤	40	40	62	95*65	72*43	6.2	150	540*280*235	200
	2"平板活动	B05A-04-50PA	尼龙加纤	50	40	75	95*65	72*43	6.2	300	540*280*235	150
	2.5"平板活动	B05A-04-63PA	尼龙加纤	63	40	94	95*65	72*43	6.2	500	540*280*235	60
	3"平板活动	B05A-04-75PA	尼龙加纤	75	45	109	106*80	83*60	6.2	600	540*280*235	50

INDUSTRIAL
RUBBER WHEEL SERIES
工业橡胶轮系列



平板刹车
Flat Plate Brake



平板活动
Hole Top Swivel



平板固定
Top Plate Rigid

APPLICABLE INDUSTRY
应用行业

- 酒店用品、推车、餐厨推车
- 电子、电器设备、医疗设备
- 家具、家电、家居移动设备

- Hotel supplies,trolleys,kitchen trolleys
- Electronics,electrical equipment, medical equipment
- Furniture, home appliances, home mobile devices

助 旺 脚 轮
ZHUWANG CASTERS

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	底板尺寸 Plate Size (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	3"平板刹车	Z06-01D-75GYXJ	Rubber	75	20	94	82*68	61*44	8.3	50	315*275*190	12
	4"平板刹车	Z06-01D-100GYXJ	Rubber	100	30	121	100*82	80*60	8.3	70	315*275*190	12
	5"平板刹车	Z06-01D-125GYXJ	Rubber	125	37	147	100*82	80*60	8.3	100	340*340*320	12
	6"平板刹车	Z06-01D-160GYXJ	Rubber	160	40	198	135*105	105*75	12.1	145	320*320*320	12
	8"平板刹车	Z06-01D-200GYXJ	Rubber	200	50	235	135*105	105*75	12.1	185	370*250*215	8

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	底板尺寸 Plate Size (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	3"平板活动	Z06-01-75GYXJ	Rubber	75	20	94	82*68	61*44	8.3	50	315*275*190	12
	4"平板活动	Z06-01-100GYXJ	Rubber	100	30	121	100*82	80*60	8.3	70	315*275*190	12
	5"平板活动	Z06-01-125GYXJ	Rubber	125	37	147	100*82	80*60	8.3	100	340*340*320	12
	6"平板活动	Z06-01-160GYXJ	Rubber	160	40	198	135*105	105*75	12.1	145	320*320*320	12
	8"平板活动	Z06-01-200GYXJ	Rubber	200	50	235	135*105	105*75	12.1	185	370*250*215	8

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	底板尺寸 Plate Size (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	3"平板固定	Z06-04-75GYXJ	Rubber	75	20	94	82*68	61*44	8.3	50	315*275*190	12
	4"平板固定	Z06-04-100GYXJ	Rubber	100	30	121	100*82	80*60	8.3	70	315*275*190	12
	5"平板固定	Z06-04-125GYXJ	Rubber	125	37	147	100*82	80*60	8.3	100	340*340*320	12
	6"平板固定	Z06-04-160GYXJ	Rubber	160	40	198	135*105	105*75	12.1	145	320*320*320	12
	8"平板固定	Z06-04-200GYXJ	Rubber	200	50	235	135*105	105*75	12.1	185	370*250*215	8

HEAVY-DUTY
PP SERIES
重型PP系列



平板活动
Swivel Top Plate



平板双刹
Flat Plate Double Brake



平板固定
Top Plate Rigid

以下产品配置可选，产品代码基于平底活动的编号，增加后缀码或者将平底活动的代码改为其他相应的代码。
Code Number change base on swivel caster with plate model,by adding suffix code or change substitute code"s"



丝杆 Thread Stem　孔顶 Bolt Stem　圆插 Grip Ring Stem　方插 Square Stem　圆膨胀套 Round Expanding　方膨胀套 Square Expanding

APPLICABLE INDUSTRY
应用行业

- 酒店用品、推车、餐厨推车
- 电子、电器设备、医疗设备
- 杂志架、商店陈列展示货架
- 玩具、体育健身器材
- 家具、家电、家居移动设备

- Hotel supplies,trolleys,kitchen trolleys
- Electronics,electrical equipment, medical equipment
- Magazine racks, store dicplay shelves
- Toys,sports and fitness equipment
- Furniture, home appliances, home mobile devices

助 旺 脚 轮
ZHUWANG CASTERS

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	底板尺寸 Plate Size (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	4"平板刹车	Z07A-01D-100PP-01	PU	100	48	145	115*100	84*72	11*20	270	320*320*360	12
	5"平板刹车	Z07A-01D-125PP-01	PU	125	48	165	115*100	84*72	11*20	320	380*380*320	12
	6"平板刹车	Z07A-01D-150PP-01	PU	150	48	188	115*100	84*72	11*20	420	400*400*270	8
	8"平板刹车	Z07A-01D-200PP-01	PU	200	48	238	115*100	84*72	11*20	480	385*250*230	4

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	底板尺寸 Plate Size (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	4"平板活动	Z07A-01-100PP-01	PU	100	48	145	115*100	84*72	11*20	270	315*275*190	12
	5"平板活动	Z07A-01-125PP-01	PU	125	48	165	115*100	84*72	11*20	320	340*340*320	12
	6"平板活动	Z07A-01-150PP-01	PU	150	48	188	115*100	84*72	11*20	420	320*320*320	12
	8"平板活动	Z07A-01D-200PP-01	PU	200	48	238	115*100	84*72	11*20	480	370*250*215	8

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	底板尺寸 Plate Size (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	4"平板固定	Z07A-04-100PP-01	PU	100	48	145	115*100	84*72	11*20	270	315*275*190	12
	5"平板固定	Z07A-04-125PP-01	PU	125	48	165	115*100	84*72	11*20	320	340*340*320	12
	6"平板固定	Z07A-04-150PP-01	PU	150	48	188	115*100	84*72	11*20	420	320*320*320	12
	8"平板固定	Z07A-04-200PP-01	PU	200	48	238	115*100	84*72	11*20	480	370*250*215	8

HEAVY-DUTY
KOREAN STYLE PU SERIES
重型韩式PU系列



平板双刹
Fiat Plate Double Brake



平板活动
Swivel Top Plate



平板固定
Top Plate Rigid

助旺脚轮
ZHUWANG CASTERS

APPLICABLE INDUSTRY
应用行业

- 酒店用品、推车、餐厨推车
- 电子、电器设备、医疗设备
- 杂志架、商店陈列展示货架
- 玩具、体育健身器材
- 家具、家电、家居移动设备

- Hotel supplies,trolleys,kitchen trolleys
- Electronics,electrical equipment, medical equipment
- Magazine racks, store dicplay shelves
- Toys,sports and fitness equipment
- Furniture, home appliances, home mobile devices

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	底板尺寸 Plate Size (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	4"平板双刹	Z07A-01D-100PU-02	PU	100	48	145	115*100	84*72	11*20	270	315*275*360	12
	5"平板双刹	Z07A-01D-125PU-02	PU	125	48	165	115*100	84*72	11*20	320	380*380*320	12
	6"平板双刹	Z07A-01D-150PU-02	PU	150	48	188	115*100	84*72	11*20	420	400*400*270	8
	8"平板双刹	Z07A-01D-200PU-02	PU	200	48	238	115*100	84*72	11*20	480	385*250*230	4

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	底板尺寸 Plate Size (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	4"平板活动	Z07A-01-100PU-02	PU	100	48	145	115*100	84*72	11*20	270	315*275*190	12
	5"平板活动	Z07A-01-125PU-02	PU	125	48	165	115*100	84*72	11*20	320	340*340*320	12
	6"平板活动	Z07A-01-150PU-02	PU	150	48	188	115*100	84*72	11*20	420	320*320*320	12
	8"平板活动	Z07A-01-200PU-02	PU	200	48	238	115*100	84*72	11*20	480	370*250*215	8

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	底板尺寸 Plate Size (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	4″平板固定	Z07A-04-100PU-02	PU	100	48	145	115*100	84*72	11*20	270	315*275*190	12
	5″平板固定	Z07A-04-125PU-02	PU	125	48	165	115*100	84*72	11*20	320	340*340*320	12
	6″平板固定	Z07A-04-150PU-02	PU	150	48	188	115*100	84*72	11*20	420	320*320*320	12
	8″平板固定	Z07A-04-200PU-02	PU	200	48	238	115*100	84*72	11*20	480	370*250*215	8

HEAVY-DUTY
GOLD-PLATED BEACON SERIES
重型镀金烽火系列



平板双刹
Flat Plate Double Brake



平板活动
Swivel Top Plate



平板固定
Top Plate Rigid

APPLICABLE INDUSTRY
应用行业

- 酒店用品、推车、餐厨推车
- 电子、电器设备、医疗设备
- 杂志架、商店陈列展示货架
- 玩具、体育健身器材
- 家具、家电、家居移动设备

- Hotel supplies,trolleys,kitchen trolleys
- Electronics,electrical equipment, medical equipment
- Magazine racks, store dicplay shelves
- Toys,sports and fitness equipment
- Furniture, home appliances, home mobile devices

助旺脚轮
ZHUWANG CASTERS

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	底板尺寸 Plate Size (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	4"平板双刹	Z07A-01D-100FHL-03	ER	100	48	145	115*100	84*72	11*20	270	315*275*360	12
	5"平板双刹	Z07A-01D-125FHL-03	ER	125	48	165	115*100	84*72	11*20	320	380*380*320	12
	6"平板双刹	Z07A-01D-150FHL-03	ER	150	48	188	115*100	84*72	11*20	420	400*400*270	8
	8"平板双刹	Z07A-01D-200FHL-03	ER	200	48	238	115*100	84*72	11*20	480	385*250*230	4

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	底板尺寸 Plate Size (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	4"平板活动	Z07A-01-100FHL-03	ER	100	48	145	115*100	84*72	11*20	270	315*275*190	12
	5"平板活动	Z07A-01-125FHL-03	ER	125	48	165	115*100	84*72	11*20	320	340*340*320	12
	6"平板活动	Z07A-01-150FHL-03	ER	150	48	188	115*100	84*72	11*20	420	320*320*320	12
	8"平板活动	Z07A-01-200FHL-03	ER	200	48	238	115*100	84*72	11*20	480	370*250*215	8

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	底板尺寸 Plate Size (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	4″平板固定	Z07A-04-100FHL-03	ER	100	48	145	115*100	84*72	11*20	270	315*275*190	12
	5″平板固定	Z07A-04-125FHL-03	ER	125	48	165	115*100	84*72	11*20	320	340*340*320	12
	6″平板固定	Z07A-04-150FHL-03	ER	150	48	188	115*100	84*72	11*20	420	320*320*320	12
	8″平板固定	Z07A-04-200FHL-03	ER	200	48	238	115*100	84*72	11*20	480	370*250*215	8

HEAVY-DUTY
GOLD-PLATED BEACON SERIES
重型镀金烽火系列



平板活动
Swivel Top Plate



平板双刹
Flat Plate Double Brake



平板固定
Top Plate Rigid

APPLICABLE INDUSTRY
应用行业

- 酒店用品、推车、餐厨推车
- 电子、电器设备、医疗设备
- 杂志架、商店陈列展示货架
- 玩具、体育健身器材
- 家具、家电、家居移动设备

- Hotel supplies,trolleys,kitchen trolleys
- Electronics,electrical equipment, medical equipment
- Magazine racks, store dicplay shelves
- Toys,sports and fitness equipment
- Furniture, home appliances, home mobile devices

助 旺 脚 轮
ZHUWANG CASTERS

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	底板尺寸 Plate Size (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	4"平板双刹	Z07-01D-100FHL-04	PVC	100	48	145	115*100	84*72	11*20	270	315*275*360	12
	5"平板双刹	Z07-01D-125FHL-04	PVC	125	48	165	115*100	84*72	11*20	320	380*380*320	12
	6"平板双刹	Z07-01D-150FHL-04	PVC	150	48	188	115*100	84*72	11*20	420	400*400*270	8
	8"平板双刹	Z07-01D-200FHL-04	PVC	200	48	238	115*100	84*72	11*20	480	385*250*230	4

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	底板尺寸 Plate Size (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	4"平板活动	Z07-01-100FHL-04	PVC	100	48	145	115*100	84*72	11*20	270	315*275*190	12
	5"平板活动	Z07-01-125FHL-04	PVC	125	48	165	115*100	84*72	11*20	320	340*340*320	12
	6"平板活动	Z07-01-150FHL-04	PVC	150	48	188	115*100	84*72	11*20	420	320*320*320	12
	8"平板活动	Z07-01-200FHL-04	PVC	200	48	238	115*100	84*72	11*20	480	370*250*215	8

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	底板尺寸 Plate Size (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	4″平板固定	Z07-04-100FHL-04	PVC	100	48	145	115*100	84*72	11*20	270	315*275*190	12
	5″平板固定	Z07-04-125FHL-04	PVC	125	48	165	115*100	84*72	11*20	320	340*340*320	12
	6″平板固定	Z07-04-150FHL-04	PVC	150	48	188	115*100	84*72	11*20	420	320*320*320	12
	8″平板固定	Z07-04-200FHL-04	PVC	200	48	238	115*100	84*72	11*20	480	370*250*215	8

HEAVY-DUTY
GOLD-PLATED BEACON SERIES
重型镀金烽火系列



平板双刹
Flat Plate Double Brake



平板活动
Swivel Top Plate



平板固定
Top Plate Rigid

APPLICABLE INDUSTRY
应用行业

- 酒店用品、推车、餐厨推车
- 电子、电器设备、医疗设备
- 杂志架、商店陈列展示货架
- 玩具、体育健身器材
- 家具、家电、家居移动设备

- Hotel supplies,trolleys,kitchen trolleys
- Electronics,electrical equipment, medical equipment
- Magazine racks, store dicplay shelves
- Toys,sports and fitness equipment
- Furniture, home appliances, home mobile devices

助 旺 脚 轮
ZHUWANG CASTERS

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	底板尺寸 Plate Size (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	4"平板双刹	Z07-01D-100TPR-05	TPR	100	48	145	115*100	84*72	11*20	270	315*275*360	12
	5"平板双刹	Z07-01D-125TPR-05	TPR	125	48	165	115*100	84*72	11*20	320	380*380*320	12
	6"平板双刹	Z07-01D-150TPR-05	TPR	150	48	188	115*100	84*72	11*20	420	400*400*270	8
	8"平板双刹	Z07-01D-200TPR-05	TPR	200	48	238	115*100	84*72	11*20	480	385*250*230	4

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	底板尺寸 Plate Size (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	4"平板活动	Z07-01-100TPR-05	TPR	100	48	145	115*100	84*72	11*20	270	315*275*190	12
	5"平板活动	Z07-01-125TPR-05	TPR	125	48	165	115*100	84*72	11*20	320	340*340*320	12
	6"平板活动	Z07-01-150TPR-05	TPR	150	48	188	115*100	84*72	11*20	420	320*320*320	12
	8"平板活动	Z07-01-200TPR-05	TPR	200	48	238	115*100	84*72	11*20	480	370*250*215	8

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	底板尺寸 Plate Size (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	4″平板固定	Z07-04-100TPR-05	TPR	100	48	145	115*100	84*72	11*20	270	315*275*190	12
	5″平板固定	Z07-04-125TPR-05	TPR	125	48	165	115*100	84*72	11*20	320	340*340*320	12
	6″平板固定	Z07-04-150TPR-05	TPR	150	48	188	115*100	84*72	11*20	420	320*320*320	12
	8″平板固定	Z07-04-200TPR-05	TPR	200	48	238	115*100	84*72	11*20	480	370*250*215	8

HEAVY-DUTY
IRON CORE PU SERIES
重型铁芯PU系列



平板双刹
Flat Plate Double Brake



平板活动
Swivel Top Plate



平板固定
Top Plate Rigid

APPLICABLE INDUSTRY
应用行业

- 酒店用品、推车、餐厨推车
- 电子、电器设备、医疗设备
- 杂志架、商店陈列展示货架
- 玩具、体育健身器材
- 家具、家电、家居移动设备

- Hotel supplies,trolleys,kitchen trolleys
- Electronics,electrical equipment, medical equipment
- Magazine racks, store dicplay shelves
- Toys,sports and fitness equipment
- Furniture, home appliances, home mobile devices

助 旺 脚 轮
ZHUWANG CASTERS

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮 径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	底板尺寸 Plate Size (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承 重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	4"平板双刹	Z07-01D-100PU-06	PU	100	48	145	115*100	84*72	11*20	270	315*275*360	12
	5"平板双刹	Z07-01D-125PU-06	PU	125	48	165	115*100	84*72	11*20	320	380*380*320	12
	6"平板双刹	Z07-01D-150PU-06	PU	150	48	188	115*100	84*72	11*20	420	400*400*270	8
	8"平板双刹	Z07-01D-200PU-06	PU	200	48	238	115*100	84*72	11*20	480	385*250*230	4

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮 径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	底板尺寸 Plate Size (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承 重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	4"平板活动	Z07-01-100PU-06	PU	100	48	145	115*100	84*72	11*20	270	315*275*190	12
	5"平板活动	Z07-01-125PU-06	PU	125	48	165	115*100	84*72	11*20	320	340*340*320	12
	6"平板活动	Z07-01-150PU-06	PU	150	48	188	115*100	84*72	11*20	420	320*320*320	12
	8"平板活动	Z07-01-200PU-06	PU	200	48	238	115*100	84*72	11*20	480	370*250*215	8

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮 径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	底板尺寸 Plate Size (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承 重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	4"平板固定	Z07-04-100PU-06	PU	100	48	145	115*100	84*72	11*20	270	315*275*190	12
	5"平板固定	Z07-04-125PU-06	PU	125	48	165	115*100	84*72	11*20	320	340*340*320	12
	6"平板固定	Z07-04-150PU-06	PU	150	48	188	115*100	84*72	11*20	420	320*320*320	12
	8"平板固定	Z07-04-200PU-06	PU	200	48	238	115*100	84*72	11*20	480	370*250*215	8

HEAVY-DUTY
PLASTIC CORE PU SERIES
重型塑芯PU系列



平板双刹
Flat Plate Double Brake



平板活动
Swivel Top Plate



平板固定
Top Plate Rigid

APPLICABLE INDUSTRY
应用行业

- 酒店用品、推车、餐厨推车
- 电子、电器设备、医疗设备
- 杂志架、商店陈列展示货架
- 玩具、体育健身器材
- 家具、家电、家居移动设备

- Hotel supplies,trolleys,kitchen trolleys
- Electronics,electrical equipment, medical equipment
- Magazine racks, store dicplay shelves
- Toys,sports and fitness equipment
- Furniture, home appliances, home mobile devices

助 旺 脚 轮
ZHUWANG CASTERS

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	底板尺寸 Plate Size (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	4"平板双刹	Z07-01D-100PU-07	PU	100	48	145	115*100	84*72	11*20	270	315*275*360	12
	5"平板双刹	Z07-01D-125PU-07	PU	125	48	165	115*100	84*72	11*20	320	380*380*320	12
	6"平板双刹	Z07-01D-150PU-07	PU	150	48	188	115*100	84*72	11*20	420	400*400*270	8
	8"平板双刹	Z07-01D-200PU-07	PU	200	48	238	115*100	84*72	11*20	480	385*250*230	4

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	底板尺寸 Plate Size (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	4"平板活动	Z07-01-100PU-07	PU	100	48	145	115*100	84*72	11*20	270	315*275*190	12
	5"平板活动	Z07-01-125PU-07	PU	125	48	165	115*100	84*72	11*20	320	340*340*320	12
	6"平板活动	Z07-01-150PU-07	PU	150	48	188	115*100	84*72	11*20	420	320*320*320	12
	8"平板活动	Z07-01-200PU-07	PU	200	48	238	115*100	84*72	11*20	480	370*250*215	8

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	底板尺寸 Plate Size (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	4″平板固定	Z07-04-100PU-07	PU	100	48	145	115*100	84*72	11*20	270	315*275*190	12
	5″平板固定	Z07-04-125PU-07	PU	125	48	165	115*100	84*72	11*20	320	340*340*320	12
	6″平板固定	Z07-04-150PU-07	PU	150	48	188	115*100	84*72	11*20	420	320*320*320	12
	8″平板固定	Z07-04-200PU-07	PU	200	48	238	115*100	84*72	11*20	480	370*250*215	8

HEAVY-DUTY
PLASTIC CORE PU SERIES
重型塑芯PU系列



平板双刹
Flat Plate Double Brake



平板活动
Swivel Top Plate



平板固定
Top Plate Rigid

APPLICABLE INDUSTRY
应用行业

- 酒店用品、推车、餐厨推车
- 电子、电器设备、医疗设备
- 杂志架、商店陈列展示货架
- 玩具、体育健身器材
- 家具、家电、家居移动设备

- Hotel supplies,trolleys,kitchen trolleys
- Electronics,electrical equipment, medical equipment
- Magazine racks, store dicplay shelves
- Toys,sports and fitness equipment
- Furniture, home appliances, home mobile devices

助 旺 脚 轮
ZHUWANG CASTERS

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	底板尺寸 Plate Size (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	4"平板双刹	Z07-01D-100ER-08	ER	100	48	145	115*100	84*72	11*20	270	315*275*360	12
	5"平板双刹	Z07-01D-125ER-08	ER	125	48	165	115*100	84*72	11*20	320	380*380*320	12
	6"平板双刹	Z07-01D-150ER-08	ER	150	48	188	115*100	84*72	11*20	420	400*400*270	8
	8"平板双刹	Z07-01D-200ER-08	ER	200	48	238	115*100	84*72	11*20	480	385*250*230	4

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	底板尺寸 Plate Size (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	4"平板活动	Z07-01-100ER-08	ER	100	48	145	115*100	84*72	11*20	270	315*275*190	12
	5"平板活动	Z07-01-125ER-08	ER	125	48	165	115*100	84*72	11*20	320	340*340*320	12
	6"平板活动	Z07-01-150ER-08	ER	150	48	188	115*100	84*72	11*20	420	320*320*320	12
	8"平板活动	Z07-01-200ER-08	ER	200	48	238	115*100	84*72	11*20	480	370*250*215	8

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	底板尺寸 Plate Size (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	4"平板固定	Z07-04-100ER-08	ER	100	48	145	115*100	84*72	11*20	270	315*275*190	12
	5"平板固定	Z07-04-125ER-08	ER	125	48	165	115*100	84*72	11*20	320	340*340*320	12
	6"平板固定	Z07-04-150ER-08	ER	150	48	188	115*100	84*72	11*20	420	320*320*320	12
	8"平板固定	Z07-04-200ER-08	ER	200	48	238	115*100	84*72	11*20	480	370*250*215	8

SCAFFOLD
SERIES
手脚架系列



插杆刹车
Grip Ring Stem with Brake





插杆刹车
Grip Ring Stem with Brake

APPLICABLE INDUSTRY
应用行业

- 工业手脚架适配
- For Industrial Scaffold

助 旺 脚 轮
ZHUWANG CASTERS

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	夹紧环柄 Grip Ring Stem (mm)	孔距 Hole Distance (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	6"插杆刹车	Z07-03D-150HR-09	Rubber	150	50	185	96*35	12.2*52.7	/	200	400*400*270	8
	8"插杆刹车	Z07-03D-200HR-09	Rubber	200	50	240	96*35	12.2*52.7	/	230	385*250*230	4

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	夹紧环柄 Grip Ring Stem (mm)	孔距 Hole Distance (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	6"插杆刹车	Z07-03D-150PU-10	CIPU	150	50	185	96*35	12.2*52.7	/	200	400*400*270	8
	8"插杆刹车	Z07-03D-200PU-10	CIPU	200	50	240	96*35	12.2*52.7	/	230	385*250*230	4



MEDICAL
DOUBLE WHEEL MEDICAL SERIES
双轮医疗系列



平板刹车
Flat Plate Brake



平板活动
Swivel Top Plate



螺杆刹车
Threaded Stem with Brake



螺杆活动
Swivel Caster with Threaded Stem

助旺脚轮
ZHUWANG CASTERS

APPLICABLE INDUSTRY
应用行业

- 酒店用品、推车、餐厨推车
- 电子、电器设备、医疗设备
- 杂志架、商店陈列展示货架
- 家具、家电、家居移动设备

- Hotel supplies,trolleys,kitchen trolleys
- Electronics,electrical equipment, medical equipment
- Magazine racks, store dicplay shelves
- Furniture, home appliances, home mobile devices

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	底板尺寸 Plate Size (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	3"平板刹车	11-01D-75PU-01	PU	75	25	100	/	/	8.5	150	3500*5000*800	50

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	底板尺寸 Plate Size (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	3"双轮单轴刹车	11-01-75PU-01	PU	75	25	100	/	/	8.5	150	3500*5000*800	50

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	螺杆尺寸 Threaded Stem (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	3"丝杆单轴刹车	11-02D-75PU-01	PU	75	25	100	M12*25	/	8.5	150	3500*5000*800	50

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	螺杆尺寸 Threaded Stem (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	3"插杆单轴刹车	11-02-75PU-01	PU	75	25	100	M11*25	/	8.5	150	3500*5000*800	50

LCLADDING
MEDICAL TREATMENT SERIES
包罩医疗系列



平板刹车
Flat Plate Brake



平板活动
Swivel Top Plate



螺杆刹车
Threaded Stem with Brake



螺杆活动
Swivel Caster with Threaded Stem

APPLICABLE INDUSTRY
应用行业

- 酒店用品、推车、餐厨推车
- 电子、电器设备、医疗设备
- 杂志架、商店陈列展示货架
- 家具、家电、家居移动设备

- Hotel supplies,trolleys,kitchen trolleys
- Electronics,electrical equipment, medical equipment
- Magazine racks, store dicplay shelves
- Furniture, home appliances, home mobile devices

助旺脚轮
ZHUWANG CASTERS

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	底板尺寸 Plate Size (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	3"平板刹车	11-01D-75TPR-02	TPR	75	25	108	/	/	8.5	60	3500*5000*800	50
	4"平板刹车	11-01D-100TPR-02	TPR	100	32	133	/	/	8.5	80	3500*5000*800	50
	5"平板刹车	11-01D-125TPR-02	TPR	125	32	158	/	/	8.5	125	3500*5000*800	50

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	底板尺寸 Plate Size (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	3"平板活动	11-01-75TPR-02	TPR	75	25	108	/	/	8.5	60	3500*5000*800	50
	4"平板活动	11-01-100TPR-02	TPR	100	32	133	/	/	8.5	80	3500*5000*800	50
	5"平板活动	11-01-125TPR-02	TPR	125	32	158	/	/	8.5	125	3500*5000*800	50

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	螺杆尺寸 Threaded Stem (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	3"螺杆刹车	11-02D-75TPR-02	TPR	75	25	108	M12*25	/	/	60	3500*5000*800	50
	4"螺杆刹车	11-02D-100TPR-02	TPR	100	32	133	M12*25	/	/	80	3500*5000*800	50
	5"螺杆刹车	11-02D-125TPR-02	TPR	125	32	158	M12*25	/	/	125	3500*5000*800	50

产品图片 Photo	产品名称 Product Name	产品编号 Model	轮子材料 Wheel Material	轮径 Wheel Diameter (mm)	轮子宽度 Wheel Diameter (mm)	安装高度 Load Height (mm)	螺杆尺寸 Threaded Stem (mm)	底板孔距 Hole Spacing (mm)	开孔尺寸 Hole Size (mm)	承重 Load Capacity (kg)	外箱尺寸 Outer Carton Size (mm)	装箱数 Quantity per Carton (pic)
	3″螺杆活动	11-02-75TPR-02	TPR	75	25	108	M12*25	/	/	60	3500*5000*800	50
	4"螺杆活动	11-02-100TPR-02	TPR	100	32	133	M12*25	/	/	80	3500*5000*800	50
	5"螺杆活动	11-02-125TPR-02	TPR	125	32	158	M12*25	/	/	125	3500*5000*800	50